# Product Specifications



#### 540F7NMV2

Type N Male EZfit® for 1/2 in FXL-540 cable



#### **CHARACTERISTICS**

### General Specifications

InterfaceN MaleBody StyleStraightBrandEZfit®Mounting AngleStraight

## **Electrical Specifications**

Connector Impedance 50 ohm

Operating Frequency Band 0 - 8800 MHz

Cable Impedance 50 ohm

3rd Order IMD, typical -115 dBm @ 1890 MHz 3rd Order IMD Test Method Two +43 dBm carriers

RF Operating Voltage, maximum (vrms) 990.00 V
dc Test Voltage 2000 V
Outer Contact Resistance, maximum 0.30 mOhm
Inner Contact Resistance, maximum 2.00 mOhm
Insulation Resistance, minimum 5000 MOhm

Average Power 0.6 kW @ 900 MHz


Peak Power, maximum 10.00 kW Insertion Loss, typical 0.05 dB Shielding Effectiveness -110 dB

## Product Specifications





### Outline Drawing



## Mechanical Specifications

Outer Contact Attachment Method Clamp | Tool-flare

Inner Contact Attachment Method Captivated
Outer Contact Plating Trimetal
Inner Contact Plating Silver
Attachment Durability 25 cycles
Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Connector Retention Tensile Force 1112 N | 250 lbf

Connector Retention Torque 3.95 N-m | 35.00 in lb

Insertion Force 66.72 N | 15.00 lbf

Insertion Force Method MIL-C-39012C-3.12, 4.6.9

Pressurizable No.

Coupling Nut Proof Torque 4.52 N-m | 40.00 in lb

Coupling Nut Retention Force 444.82 N | 100.00 lbf

Coupling Nut Retention Force Method MIL-C-39012C-3.25, 4.6.22

#### Dimensions

Nominal Size 1/2 in

www.commscope.com/andrew

## Product Specifications



540F7NMV2

#### **Environmental Specifications**

Operating Temperature -55 °C to +85 °C (-67 °F to +185 °F) Storage Temperature -55 °C to +85 °C (-67 °F to +185 °F)

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66
Moisture Resistance Test Method MIL-STD-202F, Method 106F

Mechanical Shock Test Method MIL-STD-202, Method 213, Test Condition I

Thermal Shock Test Method MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method IEC 60068-2-6

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

#### Standard Conditions

Attenuation, Ambient Temperature 20 °C | 68 °F Average Power, Ambient Temperature 40 °C | 104 °F

#### Return Loss/VSWR

Frequency Band	VSWR	Return Loss (dB)	
50-1000 MHz	1.02	38.00	
1000-1900 MHz	1.03	35.00	
1900-2200 MHz	1.04	34.00	
2200-2700 MHz	1.07	29.00	
2700-3600 MHz	1.11	26.00	
3600-6000 MHz	1.20	21.00	
6000-8000 MHz	1.22	20.00	

## Regulatory Compliance/Certifications

#### Agency Classification

ISO 9001:2008 Designed, manufactured and/or distributed under this quality management system

#### \* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

Insertion Loss, typical  $0.05\sqrt{\text{freq (GHz)}}$  (not applicable for elliptical waveguide)

www.commscope.com/andrew