Primary lithium battery

LS 33600C

3.6 V Primary lithium-thionyl chloride (Li-SOCl₂)
High energy
D-size bobbin cell
(recommended for cool temperature environments)

Physical characteristics

Diameter (max)

Height (max)

Typical weight

Li metal content

Available termination suffix

CN, CNR

CNA (AX)

FL



Benefits

- High voltage response, stable during most of the lifetime of the application
- Superior voltage response during pulsing at ambient T
- Easy integration in compact system
- Low self-discharge rate
 (less than 3% after 1 year of storage
 at +20°C)

Key features

- Stainless steel container
- Hermetic glass-to-metal sealing
- Built-in safety vent
- Finish with or without flat positive end
- Non-flammable electrolyte
- Compliant with IEC 86-4 safety standard and EN 50020 intrinsic safety standard
- Underwriters Laboratories (UL)
 Component Recognition
 (File Number MH 12609)
- Restricted for transport (Class 9)

Main applications

- Utility metering
- Automatic meter readers
- Buoys
- Measuring equipment
- Industrial applications
- Professional electronics

Optional upon request

Low magnetic version

Cell size references	UM3 - R20 - D
Electrical characteristics	
(typical values relative to cells stored for one	year or less at +30°C max.)
Nominal capacity	18.5 Ah
(at 1 mA +20°C 2.0 V cut off. The capacita according to current drain, temperature an	
Open circuit voltage (at +20°C)	3.67 V
Nominal voltage (at 0.7 mA +20°C)	3.6 V
Pulse capability: Typically up to 250 mA. (250 mA/0.1 second pulses, drained every undischarged cells with 10 µA base current 3.0 V. The readings may vary according to temperature, and the cell's previous history may be recommended in severe conditions.	yield voltage readings above ne pulse characteristics, the Fitting the cell with a capacitor
Continuous current permitting 50% of the r to be achieved at + 20°C with 2.0 V cut off (to maintain cell heating within safe limits. Be level of maximum current and may request s Consult Saft)	80 mA tery packs may imply lower
Storage (recommended) (for more severe co	+ 30°C (+ 86°F) max ditions, consult Saft)
Operating temperature range (Operation above ambient T may lead to red lower voltage plateau readings at the begin	

radial tabs

axial leads

flying leads ... etc.



33.4 mm (1.32 in)


60.2 or 61.6 mm

(2.37 or 2.42 in) depending on finish type


90 g (3.2 oz)

approx. 4.9 g

LS 33600C



Finished version with protruding positive end cap



Finished version with flat positive end cap Dimensions in mm.

Storage

 The storage area should be clean, cool (preferably not exceeding + 30°C), dry and ventilated.


Warning

- Fire, explosion and burn hazard.
- Do not recharge, short circuit, crush, disassemble, heat above 100°C (212°F), incinerate, or expose contents to water.
- Do not solder directly to the cell (use tabbed cell versions instead).


Saft Specialty Battery Group

12, rue Sadi Carnot 93170 Bagnolet - France Tel +33 (0)1 49 93 19 18 Fax +33 (0)1 49 93 19 69


www.saftbatteries.com



Voltage plateau versus Current and Temperature (at mid-discharge)



Typical discharge profiles at + 20°C



Restored Capacity versus Current and Temperature (2.0 V cut off)

Doc. Nº 31017-2-1106

Information in this document is subject to change without notice and becomes contractual only after written confirmation by Saft. For more details on primary lithium technologies please refer to

Primary Lithium Batteries Selector Guide Doc Nº 31048-2.

Published by the Communications Department.

Photo credit: Saft

Société anonyme au capital de 31 944 000 €

RCS Bobigny B 383 703 873
Produced by Arthur Associates

