

Reddish-Orange

PRELIMINARY SPEC




ATTENTION

OBSERVE PRECAUTIONS FOR HANDLING ELECTROSTATIC DISCHARGE SENSITIVE DEVICES

Features

- 1.Dimensions: 5.0mm X 5.0mm X 1.0mm.
- 2. Higher brightness .
- 3.Small package with high efficiency .
- 4. Surface mount technology .
- 5.ESD protection .
- 6. Moisture sensitivity level: level 2a.
- 7. Compatible with IR-reflow processes.
- 8.RoHS compliant.



Material as follows:


Package: Ceramics

Encapsulating resin: Silicone resin

Part Number: AT5050SE9ZS-RV

Electrodes: Ag plating

Package Dimensions



- 1. All dimensions are in millimeters (inches).
 2. Tolerance is ±0.25(0.01") unless otherwise noted.
 3. Specifications are subject to change without notice.
 4. The device has a single mounting surface. The device must be mounted according to the specifications.





SPEC NO: DSAI5830 APPROVED: WYNEC **REV NO: V.1 CHECKED: Allen Liu** **DATE: SEP/22/2008** DRAWN: Y.F.Lu

PAGE: 1 OF 10 ERP: 1212000028



Selection Guide

| Part No. | Dice | (| Viewing Angle [1] | | |
|----------------|--------------------------|-------|----------------------|------|-------|
| | | Code. | Min. | Max. | 201/2 |
| AT5050SE9ZS-RV | Reddish-Orange (AlGalnP) | CD-L | 15 | 20 | |
| | | CE-L | 20 | 25 | 4000 |
| | | CF-L | 25 | 30 | 120° |
| | | CG-L | 30 | 40 | |

Notes:

- 1. 01/2 is the angle from optical centerline where the luminous intensity is 1/2 the optical centerline value. 2. Luminous intensity / luminous flux: +/-15%.

Absolute Maximum Ratings at TA = 25°C

| Parameter | Symbol | Value | Unit |
|--|---------|-------------|------|
| DC Forward Current [1] | lF | 350 | mA |
| Peak Forward Current [2] | lғм | 500 | mA |
| Power dissipation | Pt | 1.05 | W |
| Operating Temperature | Тор | -40 To +100 | °C |
| Storage Temperature | Tstg | -40 To +120 | °C |
| Junction temperature[1] | TJ | 120 | °C |
| Thermal resistance [1] (Junction/ambient) | Rth j-a | 95 | °C/W |
| Thermal resistance [1] (Junction/solder point) | Rth j-s | 30 | °C/W |

- 1. Results from mounting on PC board FR4 (pad size>100mm²) , mounted on pc board-metal core PCB is recommend for lowest thermal resistance.
- 2. 1/10 Duty Cycle, 0.1ms Pulse Width.


Electrical / Optical Characteristics at TA = 25°C

| Parameter | Symbol | Value | Unit |
|--|-----------|-------|-------|
| Forward Voltage IF = 350mA [Min.] | | 2.0 | |
| Forward Voltage IF = 350mA [Typ.] | VF [2] | 2.5 | V |
| Forward Voltage IF = 350mA [Max.] | | 3.0 | |
| Luminous Flux IF = 350mA [Typ.] | Ф٧ | 24 | lm |
| Wavelength at peak emission IF = 350mA [Typ.] | λpeak | 628 | nm |
| Dominant Wavelength IF = 350mA [Typ.] | λ dom [1] | 623 | nm |
| Spectral bandwidth at 50% ΦREL MAX IF = 350mA [Typ.] | Δλ | 22 | nm |
| Temperature coefficient of λ peak IF = 350mA, - 10° C \leq T \leq 100° C [Typ.] | TCλpeak | 0.1 | nm/°C |
| Temperature coefficient of λ dom IF = 350mA, - 10° C \leq T \leq 100° C [Typ.] | TCλdom | 0.08 | nm/°C |
| Temperature coefficient of VF IF = 350mA , - $10^{\circ}\text{C} \le \text{T} \le 100^{\circ}\text{C}$ [Typ.] | TCv | -3.0 | mV/°C |

- 1.Wavelength: +/-1nm.
- 2. Forward Voltage: +/-0.1V.


SPEC NO: DSAI5830 **REV NO: V.1 DATE: SEP/22/2008 PAGE: 2 OF 10** APPROVED: WYNEC **CHECKED: Allen Liu** DRAWN: Y.F.Lu ERP: 1212000028


Kingbright




SPEC NO: DSAI5830 APPROVED: WYNEC REV NO: V.1 CHECKED: Allen Liu DATE: SEP/22/2008 DRAWN: Y.F.Lu PAGE: 3 OF 10 ERP: 1212000028










Reflow Soldering Profile For Lead-free SMT Process.



NOTES:

1.We recommend the reflow temperature 245°C(+/-5°C). The maximum soldering temperature should be limited to 260°C.

2.Don't cause stress to the epoxy resin while it is exposed to high temperature.


3. Number of reflow process shall be 2 times or less.

SPEC NO: DSAI5830 APPROVED: WYNEC REV NO: V.1 CHECKED: Allen Liu DATE: SEP/22/2008 DRAWN: Y.F.Lu PAGE: 4 OF 10 ERP: 1212000028







Recommended Soldering Pattern (Units : mm ; Tolerance: ± 0.1)




Tape Dimensions (Units: mm)







Reel Dimension




SPEC NO: DSAI5830 APPROVED: WYNEC REV NO: V.1 CHECKED: Allen Liu DATE: SEP/22/2008 DRAWN: Y.F.Lu PAGE: 5 OF 10 ERP: 1212000028



PAGE: 6 OF 10

ERP: 1212000028

Packing & Label Specifications AT5050SE9ZS-RV USER DIRECTION OF FEED LABEL-LABEL 1,000pcs / Reel 1Reel / Bag OUTSIDE LABEL OUTSIDE LABEL **Kingbright Kingbright** 15K / 55# Box 30K / 56# BOX



Packaging:

- 1. The LEDs are packed in cardboard boxes after taping.
- 2. The label on the minimum packing unit shows: Part Number, Lot Number, Ranking, Quantity.
- 3.In order to protect the LEDs from mechanical shock, we pack them in cardboard boxes for transportation.
- 4. The LEDs may be damaged if the boxes are dropped or receive a strong impact against them, so precautions must be taken to prevent any damage.
- 5. The boxes are not water resistant and therefore must be kept away from water and moisture.
- 6. When the LEDs are transported, we recommend that you use the same packing methods as Kingbright's.

SPEC NO: DSAI5830 REV NO: V.1 DATE: SEP/22/2008

APPROVED: WYNEC CHECKED: Allen Liu DRAWN: Y.F.Lu



JEDEC Moisture Sensitivity:

| Level Floor Life | | Soak Requirements | | | | |
|------------------|---------|-------------------|-------------------------------|----------------|------------------|-----------------|
| Levei | FIOOT | Lile | Star | Standard | | ated Equivalent |
| | Time | Conditions | Time (hours) | Conditions | Time (hours) | Conditions |
| 2a | 4 weeks | ≤ 30 °C / 60% RH | 696 ² + 5 / - 0 | 30 °C / 60% RH | 120 + 1 / - 0 | 60 °C / 60% RH |

Notes:

- 1. CAUTION The "accelerated equivalent" soak requirements shall not be used until correlation of damage response, including electrical, after soak and reflow is established with the "standard" soak requirements or if the known activation energy for diffusion is 0.4 0.48 eV. Accelerated soak times may vary due to material properties, e.g., mold compound, encapsulant, etc. JEDEC document JESD22-A120 provides a method for determining the diffusion coefficient.
- 2. The standard soak time includes a default value of 24 hours for semiconductor manufacturer's exposure time (MET) between bake and bag and includes the maximum time allowed out of the bag at the distributor's facility.

If the actual MET is less than 24 hours the soak time may be reduced. For soak conditions of 30 °C/60% RH the soak time is reduced by one hour For each hour the MET is less than 24 hours. For soak conditions of 60 °C/60% RH, the soak time is reduced by one hour for each five hours the MET is less than 24 hours.

If the actual MET is greater than 24 hours the soak time must be increased. If soak conditions are 30 °C/60% RH, the soak time is increased one Hour for each hour that the actual MET exceeds 24 hours. If soak conditions are 60 °C/60% RH, the soak time is increased one hour for each five Hours that the actual MET exceeds 24 hours.

3. Supplier may extend the soak times at their own risk.

ESD Protection During Production

Electric static discharge can result when static-sensitive products come in contact with the operator or other conductors.

The following procedures may decrease the possibility of ESD damage:

- 1. Minimize friction between the product and surroundings to avoid static buildup.
- 2.All production machinery and test instruments must be electrically grounded.
- 3. Operators must wear anti-static bracelets.
- 4. Wear anti-static suit when entering work areas with conductive machinery.
- 5.Set up ESD protection areas using grounded metal plating for component handling.
- 6.All workstations that handle IC and ESD-sensitive components must maintain an electrostatic potential of 150V or less.
- 7. Maintain a humidity level of 50% or higher in production areas.
- 8.Use anti-static packaging for transport and storage.
- 9.All anti-static equipment and procedures should be periodically inspected and evaluated for proper functionality.

Heat Generation:

- 1. Thermal design of the end product is of paramount importance. Please consider the heat generation of the LED when making the system design. The coefficient of temperature increase per input electric power is affected by the thermal resistance of the circuit board and density of LED placement on the board ,as well as other components. It is necessary to avoid intense heat generation and operate within the maximum ratings given in this specification.
- 2.Please determine the operating current with consideration of the ambient temperature local to the LED and refer to the plot of Permissible Forward current vs. Ambient temperature on CHARACTERISTICS in this specification. Please also take meas ures to remove heat from the area near the LED to improve the operational characteristics on the LED.

| 3.The equation ① | indicates c | orrelation | between T | j and T | a ,and the | equation ② | indicates | correlation | between 1 | īj and ī | Γs |
|---------------------|-------------|------------|-----------|---------|------------|------------|-----------|-------------|-----------|----------|----|
| Ti = Ta + Rthi-a *\ | w | (1) | | | | | | | | | |

 $T_{j} = T_{a} + Rth_{j-a} *W$ (1) $T_{j} = T_{s} + Rth_{j-s} *W$ (2)

Tj = dice junction temperature: °C

Ta = ambient temperature:°C

Ts = solder point temperature: °C

Rthj-a = heat resistance from dice junction temperature to ambient temperature : $^{\circ}\text{C/ W}$

Rthj-s = heat resistance from dice junction temperature to Ts measuring point : °C/ W

W = inputting power (IFx VF) : W

 SPEC NO: DSAI5830
 REV NO: V.1
 DATE: SEP/22/2008
 PAGE: 7 OF 10

 APPROVED: WYNEC
 CHECKED: Allen Liu
 DRAWN: Y.F.Lu
 ERP: 1212000028




Handling Precautions


Compare to epoxy encapsulant that is hard and brittle, silicone is softer and flexible. Although its characteristic significantly reduces thermal stress, it is more susceptible to damage by external mechanical force.


As a result, special handling precautions need to be observed during assembly using silicone encapsulated LED products. Failure to comply might leads to damage and premature failure of the LED.

1. Handle the component along the side surfaces by using forceps or appropriate tools.




2. Do not directly touch or handle the silicone lens surface. It may damage the internal circuitry.






3. Do not stack together assembled PCBs containing exposed LEDs. Impact may scratch the silicone lens or damage the internal circuitry.



- 4. The outer diameter of the SMD pickup nozzle should not exceed the size of the LED to prevent air leaks. The inner diameter of the nozzle should be as large as possible.
- 5. A pliable material is suggested for the nozzle tip to avoid scratching or damaging the LED surface during pickup.
- 6. The dimensions of the component must be accurately programmed in the pick-and-place machine to insure precise pickup and avoid damage during production.



 SPEC NO: DSAI5830
 REV NO: V.1
 DATE: SEP/22/2008
 PAGE: 8 OF 10


 APPROVED: WYNEC
 CHECKED: Allen Liu
 DRAWN: Y.F.Lu
 ERP: 1212000028



Designing the Position of LED on a Board.


1.No twist/warp/bent/or other stress shall be applied to the board after mounting LED with solder to avoid a crack of LED package.

Refer to the following recommended position and direction of LED.



Appropriate LED mounting is to place perpendicularly against the stress affected side.

2.Depending on the position and direction of LED,the mechanical stress on the LED package can be changed. Refer to the following figure.



Stress: A>B=C>D>E

- 3.Do not split board by hand. Split with exclusive special tool.
- 4.If an aluminum circuit board is used,a large stress by thermal shock might cause a solder crack.

For this reason, it is recommended an appropriate verification should be taken before use.

 SPEC NO: DSAI5830
 REV NO: V.1
 DATE: SEP/22/2008
 PAGE: 9 OF 10

 APPROVED: WYNEC
 CHECKED: Allen Liu
 DRAWN: Y.F.Lu
 ERP: 1212000028





Reliability Test Items And Conditions

The reliability of products shall be satisfied with items listed below

Lot Tolerance Percent Defective (LTPD): 10%

| No. | Test Item | Test Conditions | Test Times / Cycles | Number of Damaged |
|-----|--|---|------------------------|-------------------|
| 1 | Continuous Operating Test | T_a = 25 °C , I_F = 350 mA Tested with standard circuit board * | 1000 hrs | 0/22 |
| 2 | High Temperature Operating Test | T _a = 100 °C , I _F = 60 mA (note) | 1000 hrs | 0/22 |
| 3 | Low Temperature Operating Test | T_a = -40 °C , I_F = 350 mA Tested with standard circuit board* | 1000 hrs | 0/22 |
| 4 | High Temperature and Humidity Storage Operating Test | T _a = 85 °C , RH = 85% , I _F = 110 mA (note) | 1000 hrs | 0/22 |
| 5 | Temperature Cycling Test | High temp: +100 °C 30 mins \int R.T : 5 mins \int Low temp : -40 °C 30 mins \int R.T : 5 mins | 10 cycles | 0/22 |
| 6 | Thermal Shock Test | High temp : +100 $^{\circ}$ C 5 mins $^{\circ}$ Low temp : -40 $^{\circ}$ C 5 mins | 100 cycles | 0/22 |
| 7 | Soldering resistance Test | T _{sld} = 260 °C , 10 secs | 10 secs | 0/22 |

Note: Thermal resistance of LED with Kingbright circuit board: Rthj-a = 95°C/W

Failure Criteria

| Item | Symbol | Test Conditions | Criteria for Judgement | | |
|-----------------|--------|-----------------|------------------------|---------------------|--|
| item | Symbol | rest Conditions | Min. | Max. | |
| Forward Voltage | VF | IF = 350mA | - | Initial Level x 1.1 | |
| Luminous Flux | Ф۷ | IF = 350mA | Initial Level x 0.7 | - | |

Note: The test is performed after the board is cooled down to the room temperature.

 SPEC NO: DSAI5830
 REV NO: V.1
 DATE: SEP/22/2008
 PAGE: 10 OF 10

 APPROVED: WYNEC
 CHECKED: Allen Liu
 DRAWN: Y.F.Lu
 ERP: 1212000028