Document Number: MMA6231Q

Rev 2, 10/2006

±10g Dual Axis Micromachined Accelerometer

The MMA6200 series of low cost capacitive micromachined accelerometers feature signal conditioning, a 1-pole low pass filter and temperature compensation. Zero-g offset full scale span and filter cut-off are factory set and require no external devices. A full system self-test capability verifies system functionality.

Features

- Low Noise
- Low Cost
- Low Power
- 2.7 V to 3.6 V Operation
- 6mm x 6mm x 1.98 mm QFN
- Integral Signal Conditioning with Low Pass Filter
- Linear Output
- Ratiometric Performance
- Self-Test
- · Robust Design, High Shocks Survivability

Typical Applications

- Pedometer
- · Appliance Control
- Impact Monitoring
- · Vibration Monitoring and Recording
- · Position & Motion Sensing
- Freefall Detection
- · Smart Portable Electronics

ORDERING INFORMATION						
Device Name	Bandwidth Response	I _{DD}	Case No.	Package		
MMA6231Q	300 Hz	1.2 mA	1477-02	QFN-16, Tube		
MMA6231QR2	300 Hz	1.2 mA	1477-02	QFN-16,Tape & Reel		
MMA6233Q	900 Hz	2.2 mA	1477-02	QFN-16, Tube		
MMA6233QR2	900 Hz	2.2 mA	1477-02	QFN-16,Tape & Reel		

MMA6231Q MMA6233Q

MMA6230Q Series: X-Y AXIS SENSITIVITY MICROMACHINED ACCELEROMETER ±10 g

Bottom View



16-LEAD QFN CASE 1477-02

Top View




Figure 1. Pin Connections






Table 1. Maximum Ratings
(Maximum ratings are the limits to which the device can be exposed without causing permanent damage.)

Rating	Symbol	Value	Unit
Maximum Acceleration (all axis)	9 _{max}	±2000	g
Supply Voltage	V_{DD}	-0.3 to +3.6	V
Drop Test ⁽¹⁾	D _{drop}	1.2	m
Storage Temperature Range	T _{stg}	-40 to +125	°C

^{1.} Dropped onto concrete surface from any axis.

ELECTRO STATIC DISCHARGE (ESD)

WARNING: This device is sensitive to electrostatic discharge.

Although the Freescale accelerometers contain internal 2 kV ESD protection circuitry, extra precaution must be taken by the user to protect the chip from ESD. A charge of over 2000 volts can accumulate on the human body or associated test equipment. A charge of this magnitude can alter the

performance or cause failure of the chip. When handling the accelerometer, proper ESD precautions should be followed to avoid exposing the device to discharges which may be detrimental to its performance.

Table 2. Operating Characteristics

Unless otherwise noted: $-20^{\circ}\text{C} \le T_A \le 85^{\circ}\text{C}$, $3.0 \text{ V} \le V_{DD} \le 3.6 \text{ V}$, Acceleration = 0g, Loaded output (1)

Characteristic	Symbol	Min	Тур	Max	Unit
Operating Range ⁽²⁾					
Supply Voltage ⁽³⁾	V_{DD}	2.7	3.3	3.6	V
Supply Current					
MMA6231Q	I _{DD}	_	1.2	1.5	mA
MMA6233Q	I _{DD}	_	2.2	3.0	mA
Operating Temperature Range	T _A	-20	_	+85	°C
Acceleration Range	9 _{FS}	_	10	_	g
Output Signal					
Zero g (T _A = 25°C, V _{DD} = 3.3 V) ⁽⁴⁾	V _{OFF}	1.485	1.65	1.815	V
Zero g	V_{OFF} , T_A	_	2.0	_	mg/°C
Sensitivity (T _A = 25°C, V _{DD} = 3.3 V)	S	111	120	129	mV/g
Sensitivity	S, T _A	_	0.015	_	%/°C
Bandwidth Response					
MMA6231Q	f _{3dB}	_	300	_	Hz
MMA6233Q	f _{3dB}	_	900	_	Hz
Nonlinearity	NL _{OUT}	-1.0	_	+1.0	% FSO
Noise					
MMA6231Q RMS (0.1 Hz – 1 kHz)	n _{RMS}	_	0.7	_	mVrms
MMA6233Q RMS (0.1 Hz – 1 kHz)	n _{RMS}	_	0.6	_	
Power Spectral Density RMS (0.1 Hz – 1 kHz)	1				
MMA6231Q	n _{PSD}	_	50	_	ug/√Hz
MMA6233Q	n _{PSD}	_	30	_	
Self-Test					
Output Response	9 _{ST}	2.0	_	_	g
Input Low	V _{IL}	_	_	0.3 V _{DD}	V
Input High	V _{IH}	0.7 V _{DD}	_	V _{DD}	V
Pull-Down Resistance ⁽⁵⁾	R _{PO}	43	57	71	kΩ
Response Time ⁽⁶⁾	t _{ST}	_	2.0	_	ms
Output Stage Performance	1				
Full-Scale Output Range (I _{OUT} = 200 μA)	V_{FSO}	V _{SS} +0.25	_	V _{DD} -0.25	V
Capacitive Load Drive ⁽⁷⁾	C _L	_	_	100	pF
Output Impedance	Z _O	_	50	300	Ω
Power-Up Response Time					
MMA6231Q	t _{RESPONSE}	_	2.0	_	ms
MMA6233Q	t _{RESPONSE}	_	0.7	_	ms
Mechanical Characteristics	TLEST GIVEL				
Transverse Sensitivity ⁽⁸⁾	V _{ZX} , _{YX} , _{ZY}	-5.0		+5.0	% FSO

- 1. For a loaded output, the measurements are observed after an RC filter consisting of a 1.0 k Ω resistor and a 0.1 μ F capacitor to ground.
- 2. These limits define the range of operation for which the part will meet specification.
- 3. Within the supply range of 2.7 and 3.6 V, the device operates as a fully calibrated linear accelerometer. Beyond these supply limits the device may operate as a linear device but is not guaranteed to be in calibration.
- 4. The device can measure both + and acceleration. With no input acceleration the output is at midsupply. For positive acceleration the output will increase above $V_{DD}/2$. For negative acceleration, the output will decrease below $V_{DD}/2$.
- 5. The digital input pin has an internal pull-down resistance to prevent inadvertent self-test initiation due to external board level leakages.
- 6. Time for the output to reach 90% of its final value after a self-test is initiated.
- 7. Preserves phase margin (60°) to guarantee output amplifier stability.
- 8. A measure of the device's ability to reject an acceleration applied 90° from the true axis of sensitivity.

MMA6231Q

PRINCIPLE OF OPERATION

The Freescale accelerometer is a surface-micromachined integrated-circuit accelerometer.

The device consists of a surface micromachined capacitive sensing cell (g-cell) and a signal conditioning ASIC contained in a single integrated circuit package. The sensing element is sealed hermetically at the wafer level using a bulk micromachined *cap* wafer.

The g-cell is a mechanical structure formed from semiconductor materials (polysilicon) using semiconductor processes (masking and etching). It can be modeled as a set of beams attached to a movable central mass that moves between fixed beams. The movable beams can be deflected from their rest position by subjecting the system to an acceleration (Figure 3).

As the beams attached to the central mass move, the distance from them to the fixed beams on one side will increase by the same amount that the distance to the fixed beams on the other side decreases. The change in distance is a measure of acceleration.

The g-cell plates form two back-to-back capacitors (Figure 4). As the center plate moves with acceleration, the distance between the plates changes and each capacitor's value will change, (C = $A\epsilon/D$). Where A is the area of the plate, ϵ is the dielectric constant, and D is the distance between the plates.

The ASIC uses switched capacitor techniques to measure the g-cell capacitors and extract the acceleration data from the difference between the two capacitors. The ASIC also signal conditions and filters (switched capacitor) the signal, providing a high level output voltage that is ratiometric and proportional to acceleration.




Figure 3. Transducer Physical Model

Figure 4. Equivalent Circuit Model

SPECIAL FEATURES

Filtering

These Freescale accelerometers contain an onboard single-pole switched capacitor filter. Because the filter is realized using switched capacitor techniques, there is no requirement for external passive components (resistors and capacitors) to set the cut-off frequency.

Self-Test

The sensor provides a self-test feature allowing the verification of the mechanical and electrical integrity of the accelerometer at any time before or after installation. A fourth plate is used in the g-cell as a self-test plate. When a logic high input to the self-test pin is applied, a calibrated potential is applied across the self-test plate and the moveable plate. The resulting electrostatic force (Fe = $^{1}/_{2}$ AV $^{2}/d^{2}$) causes the center plate to deflect. The resultant deflection is measured by the accelerometer's ASIC and a proportional output voltage results. This procedure assures both the mechanical (g-cell) and electronic sections of the accelerometer are functioning.

Freescale accelerometers include fault detection circuitry and a fault latch. Parity of the EEPROM bits becomes odd in number.

Self-test is disabled when EEPROM parity error occurs.

Ratiometricity

Ratiometricity simply means the output offset voltage and sensitivity will scale linearly with applied supply voltage. That is, as supply voltage is increased, the sensitivity and offset increase linearly; as supply voltage decreases, offset and sensitivity decrease linearly. This is a key feature when interfacing to a microcontroller or an A/D converter because it provides system level cancellation of supply induced errors in the analog to digital conversion process.

BASIC CONNECTIONS

Pinout Description

Figure 4. Pinout Description

Pin No.	Pin Name	Description
1, 5–7, 13, 16	N/C	No internal connection. Leave unconnected.
14	Y _{OUT}	Output voltage of the accelerometer. Y Direction.
15	X _{OUT}	Output voltage of the accelerometer. X Direction.
3	V_{DD}	Power supply input.
4	V _{SS}	The power supply ground.
2, 8–11	N/C	Used for factory trim. Leave unconnected.
12	ST	Logic input pin used to initiate self-test.




Figure 5. Accelerometer with Recommended Connection Diagram

PCB Layout






Figure 6. Recommend PCB Layout for Interfacing Accelerometer to Microcontroller

NOTES:

- 1. Use 0.1 μF capacitor on V_{DD} to decouple the power source.
- Physical coupling distance of the accelerometer to the microcontroller should be minimal.
- 3. Flag underneath package is connected to ground.
- 4. Place a ground plane beneath the accelerometer to reduce noise, the ground plane should be attached to all of the open ended terminals shown in Figure 6.
- 5. Use an RC filter with 1.0 k Ω and 0.1 μ F on the outputs of the accelerometer to minimize clock noise (from the switched capacitor filter circuit).
- 6. PCB layout of power and ground should not couple power supply noise.
- 7. Accelerometer and microcontroller should not be a high current path.
- 8. A/D sampling rate and any external power supply switching frequency should be selected such that they do not interfere with the internal accelerometer sampling frequency (16 kHz for Low I_{DD} and 52 kHz for Standard I_{DD} for the sampling frequency). This will prevent aliasing errors.
- PCB layout should not run traces or vias under the QFN part. This could lead to ground shorting to the accelerometer flag.







MINIMUM RECOMMENDED FOOTPRINT FOR SURFACE MOUNTED APPLICATIONS

Surface mount board layout is a critical portion of the total design. The footprint for the surface mount packages must be the correct size to ensure proper solder connection interface between the board and the package.

With the correct footprint, the packages will self-align when subjected to a solder reflow process. It is always recommended to design boards with a solder mask layer to avoid bridging and shorting between solder pads.



PACKAGE DIMENSIONS




© FREESCALE SEMICONDUCTOR, INC. ALL RIGHTS RESERVED. MECH/		CAL OUTLINE PRINT VERSION NOT TO S		T TO SCALE
TITLE: QUAD FLAT NON-LEADED PACKAGE (QFN) FOR SENSORS 16 TERMINAL, 1.0 PITCH (6 X 6 X 1.98)		DOCUMENT NO): 98ASA10571D	REV: B
		CASE NUMBER	: 1477–02	27 SEP 2006
		STANDARD: NON-JEDEC		

PAGE 1 OF 3

CASE 1477-02 ISSUE B 16-LEAD QFN

PACKAGE DIMENSIONS



DETAIL G VIEW ROTATED 90' CW

© FREESCALE SEMICONDUCTOR, INC. ALL RIGHTS RESERVED. MECHANICA		AL OUTLINE	PRINT VERSION NO	T TO SCALE
TITLE: QUAD FLAT NON-LEADED PACKAGE (QFN) FOR SENSORS 16 TERMINAL, 1.0 PITCH (6 X 6 X 1.98)		DOCUMENT NO): 98ASA10571D	REV: B
		CASE NUMBER	: 1477–02	27 SEP 2006
		STANDARD: NO	N-JEDEC	

PAGE 2 OF 3

CASE 1477-02 ISSUE B 16-LEAD QFN

MMA6231Q

PACKAGE DIMENSIONS

NOTES:

- 1. ALL DIMENSIONS ARE IN MILLMETERS.
- 2. INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M-1994.
- THIS DIMENSION APPLIES TO METALLIZED TERMINAL AND IS MEASURED BETWEEN 0.25MM AND 0.30MM FROM TERMINAL TIP.
- 4 COPLANARITY APPLIES TO THE EXPOSED HEAT SLUG, TERMINALS AND CORNER PADS.
- 5. RADIUS ON TERMINAL IS OPTIONAL.
- 6. MINIMUM METAL GAP SHOULD BE 0.2MM EXCEPT GAP BETWEEN CORNER PADS AND THE EXPOSED HEAT SLUG.

©	© FREESCALE SEMICONDUCTOR, INC. ALL RIGHTS RESERVED. MECHANICA		AL OUTLINE	PRINT VERSION NO	T TO SCALE
TITLE: QUAD FLAT NON-LEADED		DOCUMENT NO): 98ASA10571D	REV: B	
				27 SEP 2006	
16	TERMINAL, 1.0 PITCH (6	X 6 X 1.98)	STANDARD: NO	N-JEDEC	

PAGE 3 OF 3

CASE 1477-02 ISSUE B 16-LEAD QFN

How to Reach Us:

Home Page:

www.freescale.com

E-mail:

support@freescale.com

USA/Europe or Locations Not Listed:

Freescale Semiconductor Technical Information Center, CH370 1300 N. Alma School Road Chandler, Arizona 85224 +1-800-521-6274 or +1-480-768-2130 support@freescale.com

Europe, Middle East, and Africa:

Freescale Halbleiter Deutschland GmbH Technical Information Center Schatzbogen 7 81829 Muenchen, Germany +44 1296 380 456 (English) +46 8 52200080 (English) +49 89 92103 559 (German) +33 1 69 35 48 48 (French) support@freescale.com

Japan:

Freescale Semiconductor Japan Ltd. Headquarters ARCO Tower 15F 1-8-1, Shimo-Meguro, Meguro-ku, Tokyo 153-0064 Japan 0120 191014 or +81 3 5437 9125 support.japan@freescale.com

Asia/Pacific:

Freescale Semiconductor Hong Kong Ltd. Technical Information Center 2 Dai King Street
Tai Po Industrial Estate
Tai Po, N.T., Hong Kong
+800 2666 8080
support.asia@freescale.com

For Literature Requests Only:

Freescale Semiconductor Literature Distribution Center P.O. Box 5405
Denver, Colorado 80217
1-800-441-2447 or 303-675-2140
Fax: 303-675-2150
LDCForFreescaleSemiconductor@hibbertgroup.com

Information in this document is provided solely to enable system and software implementers to use Freescale Semiconductor products. There are no express or implied copyright licenses granted hereunder to design or fabricate any integrated circuits or integrated circuits based on the information in this document.

Freescale Semiconductor reserves the right to make changes without further notice to any products herein. Freescale Semiconductor makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does Freescale Semiconductor assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation consequential or incidental damages. "Typical" parameters that may be provided in Freescale Semiconductor data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals", must be validated for each customer application by customer's technical experts. Freescale Semiconductor does not convey any license under its patent rights nor the rights of others. Freescale Semiconductor products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the Freescale Semiconductor product could create a situation where personal injury or death may occur. Should Buyer purchase or use Freescale Semiconductor products for any such unintended or unauthorized application, Buyer shall indemnify and hold Freescale Semiconductor and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that Freescale Semiconductor was negligent regarding the design or manufacture of the part.

Freescale ™ and the Freescale logo are trademarks of Freescale Semiconductor, Inc. All other product or service names are the property of their respective owners.

© Freescale Semiconductor, Inc. 2005. All rights reserved.

