



FLUX LED SPECIFICATION



ATTENTION
OBSERVE PRECAUTIONS
FOR HANDLING
ELECTROSTATIC
DISCHARGE
SENSITIVE
DEVICES



Part No.: 913PRGB2C

Features:

- Triple color
- High bright output
- High Current Operation
- Low power consumption
- High reliability and long life

Descriptions:

- Dice material:
R/G/B: AlGaInP/InGaN//InGaN
- Device Outline: 7.6mmX7.6mm
- Lens Type: Water Clear



NOTE:

- All dimensions are millimetres.
- Tolerance is +/-0.25mm unless otherwise noted



FLUX LED SPECIFICATION

Part No.: 913PRGB2C

Absolute maximum ratings (Ta = 25°C)

Parameter	Symbol	Test Condition	Value		Unit
			Min.	Max.	
Reverse Voltage	VR	IR = 30 μA	5	----	V
Forward Current	R	----	----	70	mA
	G		----	50	
	B		----	50	
Power Dissipation	Pd	----	----	150	mW
Pulse Current	Ipeak	Duty=0.1mS, 1kHz	----	150	mA
Operating Temperature	Topr	----	-25	+85	°C
Storage Temperature	Tstr	----	-40	+100	°C

Electrical and optical characteristics (Ta = 25°C)






Parameter	Color	Symbol	Test Condition	Value			Unit
				Min.	Typ.	Max.	
Forward Voltage	R	VF	IF = 70mA	----	2.2	2.8	V
	G		IF = 50mA	----	3.8	4.6	
	B		IF = 50mA	----	3.8	4.6	
Reverse Current		IR	VR = 5V	----	----	30	μA
Dominate Wavelength	R	λd	IF = 70mA	----	625	----	nm
	G		IF = 50mA	----	525		
	B		IF = 50mA	----	470		
Peak Wavelength	R	λp	IF = 70mA	----	632	----	nm
	G		IF = 50mA	----	530		
	B		IF = 50mA	----	468		
Spectral Line half-width	R	Δλ	IF = 70mA	----	20	----	nm
	G		IF = 50mA	----	35		
	B		IF = 50mA	----	20		
Luminous Flux	R	IV	IF = 70mA	1300		2200	mlm
	G		IF = 50mA	2800		4700	
	B		IF = 50mA	770		1300	
Viewing Angle		2θ 1/2	IF = 70mA	----	130	----	Deg.



FLUX LED SPECIFICATION

Part No.: 913PRGB2C

Typical electrical/optical characteristic curves-----RED:










FLUX LED SPECIFICATION

Part No.: 913PRGB2C

Typical electrical/optical characteristic curves-----**GREEN:**





FLUX LED SPECIFICATION

Part No.: 913PRGB2C

Typical electrical/optical characteristic curves-----**BLUE:**

