

# **SAW Components**

Data Sheet B3563





SAW Components	B3563
Low-loss Filter	864,00 MHz

**Data Sheet** 


#### **Features**

- Low loss RF filter for wireless audio application
- Low amplitude ripple
- High image frequency suppression
- No matching network required for operation at
- Package for Surface Mounted Technology (SMT)

#### **Terminals**

■ Ni, gold-plated


# Ceramic package **DCC6C**



Dimensions in mm, approx. weight 0,037 g

#### Pin configuration

2 Input 5 Output 1, 3, 4, 6 Ground



Туре	Ordering code	Marking and Package	Packing		
		according to	according to		
B3563	B39861-B3563-U410	C61157-A7-A67	F61074-V8088-Z000		

Electrostatic Sensitive Device (ESD)

### **Maximum ratings**

Operable temperature range	Т	0/+40	°C	
Storage temperature range	$T_{\rm stg}$	-40/+85	°C	
DC voltage	$V_{\rm DC}$	0	V	
Source power	$P_{S}$	0	dBm	source impedance 50 $\Omega$



SAW Components B3563

Low-loss Filter 864,00 MHz

**Data Sheet** 

### Characteristics

 $\begin{array}{lll} \mbox{Operating temperature range:} & T = 0 \dots 40 \ ^{\circ}\mbox{C} \\ \mbox{Terminating source impedance:} & Z_{\mbox{S}} = 50 \ \Omega \\ \mbox{Terminating load impedance:} & Z_{\mbox{L}} = 50 \ \Omega \end{array}$ 


		min.	typ.	max.	
Center frequency	f <sub>c</sub>	_	864,00	_	MHz
Maximum insertion attenuation	$\alpha_{max}$				
862,50 865,50 MHz		_	4,0	6,0	dB
Amplitude ripple	$\Delta \alpha$				
862,50 865,50 MHz		_	1,5	2,5	dB
Relative attenuation (relative to $\alpha_{\text{max}}$ )					
841,60 843,60 MHz		40,0	44,0	<u> </u>	dB
852,30 853,30 MHz		30,0	38,0	_	dB
879,00 915,00 MHz		30,0	38,0	<u> </u>	dB
Temperature coefficient of frequency	TC <sub>f</sub>	_	-30	_	ppm/K




SAW Components B3563
Low-loss Filter 864,00 MHz

**Data Sheet** 

# **Transfer function**



## Transfer function (wideband)





SAW Components B3563
Low-loss Filter 864,00 MHz

**Data Sheet** 

#### Published by EPCOS AG Surface Acoustic Wave Components Division, SAW CE AE P.O. Box 80 17 09, 81617 Munich, GERMANY

©.EPCOS AG 2002. Reproduction, publication and dissemination of this brochure and the information contained therein without EPCOS' prior express consent is prohibited.

Purchase orders are subject to the General Conditions for the Supply of Products and Services of the Electrical and Electronics Industry recommended by the ZVEI (German Electrical and Electronic Manufacturers' Association), unless otherwise agreed.

This brochure replaces the previous edition.

For questions on technology, prices and delivery please contact the Sales Offices of EPCOS AG or the international Representatives.

Due to technical requirements components may contain dangerous substances. For information on the type in question please also contact one of our Sales Offices.