




TO-252-2L/TO-251 Plastic-Encapsulate Voltage Regulator

CJ7812 Three-terminal positive voltage regulator

FEATURES

- Maximum Output current I_{OM} : 1.5 A
- Output voltage V_o : 12 V
- Continuous total dissipation
 P_D : 1.25 W




ABSOLUTE MAXIMUM RATINGS(Operating temperature range applies unless otherwise specified)

Parameter	Symbol	Value	Unit
Input Voltage	V_i	40	V
Operating Junction Temperature Range	T_{OPR}	0-150	°C
Storage Temperature Range	T_{STG}	-65-150	°C

ELECTRICAL CHARACTERISTICS($V_i=19V, I_o=500mA, 0^\circ C < T_J < 125^\circ C, C_i=0.33 \mu F, C_o=0.1 \mu F$, unless otherwise specified)

Parameter	Symbol	Test conditions	MIN	TYP	MAX	UNIT
Output voltage	V_o	$T_J=25^\circ C$	11.5	12.0	12.5	V
		$I_o=5.0mA-1.0A, P<15W$ $14.5V \leq V_i \leq 27V$	11.4	12	12.6	V
Load Regulation	ΔV_o	$T_J=25^\circ C, 14.5V \leq V_i \leq 30V$		10	240	mV
		$T_J=25^\circ C, 16V \leq V_i \leq 22V$		3	120	mV
Line regulation	ΔV_o	$T_J=25^\circ C, I_o=5.0mA - 1.5A$		11	240	mV
		$T_J=25^\circ C, I_o=250mA - 750mA$		5.0	120	mV
Quiescent Current	I_q	$T_J=25^\circ C$		5.1	8	mA
Quiescent Current Change	ΔI_q	$5.0mA \leq I_o \leq 1.0A$			0.5	mA
		$14.5V \leq V_i \leq 30V$			1.0	mA
Output Noise Voltage	V_N	$f = 10Hz \text{ to } 100kHz, T_J=25^\circ C$		76		μV
Ripple Rejection	RR	$f = 120Hz, 15V \leq V_i \leq 25V$	55	71		dB
Dropout Voltage	V_d	$I_o=1.0A, T_J=25^\circ C$		2		V
Output resistance	R_o	$f = 1KHz$		18		$m\Omega$
Short Circuit Current	I_{sc}	$V_i=35V, T_J=25^\circ C$		350		mA
Peak Current	I_{pk}	$T_J=25^\circ C$		2.2		A

TYPICAL APPLICATION



Typical Characteristics

CJ7812




Figure 1. Peak Output Current as a Function of Input/Output Differential Voltage




Figure 1. Ripple Rejection as a Function of Output Voltages




Figure 4. Ripple Rejection as a Function of Frequency




Figure 5. Output Voltage as a Function of Junction Temperature




Figure 6. Output Impedance as a Function of Output Voltage




Figure 7. Quiescent Current as a Function of Temperature