1801 Morgan Street Rockford, Illinois 61102 800-435-2931 www.molexkits.com



Datasheet for 76650-0117

General Information

Part Number: 76650-0117

Manufacturer: Molex / Waldom

Title: Mini-Lock Deluxe Connector Kit

Description: Fully Shrouded Positive Lock Vertical and Right Angle Header and Receptacle

Product Family: Mini-Lock™

Certificates: (Molex parts within this kit) - EU and China RoHS Compliant, UL and CSA

Country of Origin: Kit assembled in U.S.A.

Specifications

Design

Configuration: Wire-to-Board Pitch: 2.50mm (.098")

Connector Type: Receptacle and Header

Mounting

Orientation: Vertical and Right Angle

Circuit Sizes: 2, 3, 4, 5 and 6

Current Rating: 3 Amps

Voltage: 250 Volts

Wire size: 28-22 AWG

Product Highlights

Mini-Lock is a versatile wire-to-board system from Molex for a broad range of 2.50mm (.098") pitch industry standard applications. The kit includes Right Angle headers. Mini-Lock is fully shrouded to protect contacts, and includes high guide walls to facilitate mating.

Features and Benefits

- Four point contact design for good electrical reliability
- Thumb-latch locking feature for easy mating and unmating
- · High guide walls to facilitate mating
- Fully shrouded headers to protect pins
- Pull tabs to assist in unmating

Applications

- White goods
- Vending machines
- Automotive
- PDAs
- TVs

For additional Molex / Waldom Design and Solution kits please go to www.molexkits.com

1801 Morgan Street Rockford, Illinois 61102 800-435-2931 www.molexkits.com

53426-0610

Japan

Circuits



5

Datasheet for 76650-0117

Bill of Materials for Part No. 76650-0117 Quantity in Country Molex Part No. of Origin Description Kit Mini-Lock™ Female Crimp Terminals 28-22 AWG 50351-8100-C Japan 200 51103-0200 2.50mm (.098") Pitch Mini-Lock™ Receptacles 2 Circuits 10 Japan 2.50mm (.098") Pitch Mini-Lock™ Receptacles 3 Circuits Japan 10 51103-0300 2.50mm (.098") Pitch Mini-Lock™ Receptacles 4 Circuits 51103-0400 Japan 10 2.50mm (.098") Pitch Mini-Lock™ Receptacles 5 Circuits 51103-0500 Japan 10 2.50mm (.098") Pitch Mini-Lock™ Receptacles 6 Circuits 51103-0600 Japan 10 2.50mm (.098") Pitch Mini-Lock™ Right Angle Headers 2 53426-0210 Japan Circuits 5 2.50mm (.098") Pitch Mini-Lock™ Right Angle Headers 3 53426-0310 Circuits 5 Japan 2.50mm (.098") Pitch Mini-Lock™ Right Angle Headers 4 5 53426-0410 Circuits Japan 2.50mm (.098") Pitch Mini-Lock™ Right Angle Headers 5 Circuits 5 53426-0510 Japan 2.50mm (.098") Pitch Mini-Lock™ Right Angle Headers 6



Datasheet for 76650-0117

		2.50mm (.098") Pitch Mini-Lock™ Vertical Headers 2	
53375-0210	Korea	Circuits	5
		2.50mm (.098") Pitch Mini-Lock™ Vertical Headers 3	
53375-0310	Korea	Circuits	5
		2.50mm (.098") Pitch Mini-Lock™ Vertical Headers 4	
53375-0410	Korea	Circuits	5
		2.50mm (.098") Pitch Mini-Lock™ Vertical Headers 5	
53375-0510	Korea	Circuits	5
		2.50mm (.098") Pitch Mini-Lock™ Vertical Headers 6	
53375-0610	Korea	Circuits	5

Recommended Molex Tool(s) for Part No. 76650-0117*

Country

Molex Part No.	of Origin	Description
63811-8100 *	Sweden	Hand Crimp Tool
57309-6000 *	Japan	Extraction Tool

^{*}Tool(s) not included in kit. Tool(s) ordered separately.