


**Product SKU:** C5044.41.01  
**Product Description:** C5044, Coaxial Cable, RG11/U Type, 14 AWG Solid Copper Clad Steel, (2) 100% Flexfoil® 1st Bonded (1) 61% (1) 40% Aluminum Braid(s), PVC Jacket - 1000 Ft. Reel  
**Product Category:** Electronics - Coaxial Cable - RG 11/U - Black

**Product Construction:**

- Conductor:
- Copper clad steel per ASTM B-869
- Insulation/Core:
- Cellular polyethylene
- Shield:
- Aluminum braid
  - Flexfoil® shield
  - Quad-Shield Design
- Jacket:
- Premium PVC compound

**Product Specification:**

- No. of Conductors:
- 1
- Conductor Size (AWG):
- 14
- Jacket Color:
- Black
- Insulation Material (in):
- Cellular Polyethylene 0.280
- Insulation Material (mm):
- Cellular Polyethylene 7.11
- Shield Coverage Nominal Shield DCR:
- (2) 100% Flexfoil® 1st Bonded (1) 61% (1) 40% Aluminum Braids 3.4 Ohm/M
- Nominal Outside Diameter (in):
- 0.405
- Nominal Outside Diameter (mm):
- 10.29

Nominal Capacitance (pF/ft):	• 16.20
Nominal Capacitance (pF/m):	• 53.15
Velocity of Propagation %:	• 85
Nominal Impedance Ohm:	• 75
Nominal Attenuation MHz/dB per 100 ft:	• 1/0.30
	• 50/0.90
	• 100/1.30
	• 500/3.00
	• 10/0.70
	• 200/1.90
	• 1000/4.40
Standard Packaging:	• 1000' Non-returnable Wood Reels
Standard Package Quantity:	• 1
UPC #:	• 079407742073
Put-up:	• 1000
SCC-14:	• 50079407742077
Cube:	• 4095.8125
Weight Per Unit of Measure:	• .07
ColorOption:	• Black

**Product Information:**

Applications:

- CATV
- Drop cable
- MATV
- Suitable for RF signal transmission

Compliances:

- NEC CL2, CATV, CM, CEC CM
- UL Style 1354 (UL:80°C,30V)
- NEC/CEC Type CMG (CSA: 80°C, 300V)

Packaging:

- 1000' (305 m) Reels
- Other put-ups available- consult Customer Service

**Technical Specifications**

Unit Conversion Factors

Cable Design Equations - Balanced Pair

Insulation and Jacket Properties

Temperature Conversion Chart

Decimal and Unit Conversion Factors

Cable Design Equations - Braid Shield

AWG Conductor Chart

Conduit Capacity Chart

Cable Design Equations - Coaxial Cable

Engineering Prefixes

Coax Connector Cross Reference

Glossary



**CAROL  
BRAND**