TS2G/4GMP820

Description

TS2G/4GMP820 is a 2GB/4GB USB Flash Drive with 1 pcs of 2Gx8/4Gx8 Flash Memory assembled on the printed circuit board. It combines a USB Flash Drive with an MP3 player, AB repeater, voice recorder and an FM radio.

Outline



Dimensions

| Side | Millimeters |
|------|------------------|
| A | 82.00 ± 0.20 |
| В | 40.50 ± 0.20 |
| С | 12.00 ± 0.20 |

Features


- 1.5-inch (128 x 128 pixel) SuperColor Display for Playing Videos (.mtv) and Photos (.jpg, .bmp)
- MP3 Player that supports MP3, WMA, WMA-DRM10 (subscription music) and WAV music formats
- Ability to read E-books (.txt)
- FM Radio (FM Radio recording and the ability to preset 9 FM radio stations)
- Advanced Digital Voice Recorder
- Karaoke-type lyrics display
- Direct Line-In recording from a CD Player, or external Microphone
- VAD (Voice Activation Detection), Very High quality Gapless Audio Recordings
- Playlist Builder
- A-B repeat function allows you to continuously replay a designated section of a track
- Variable Track Playback speeds
- Supports 13 user languages including song/artist name display

- USB Flash Drive capabilities for data transfer and storage, plus additional software
- 7 Equalizer effects, including a customizable USER EQ setting
- Powered using a rechargeable Li-ion battery (fully charged battery supports over 15 hours of continuous operation)
- Hi-Speed Mini USB 2.0 port for easy computer connectivity and fast file transfers

- Sleep Mode, preset the player to Auto-Power OFF after 15, 30, or 60 minutes
- Automatic screen saver runs if the unit is idle for more than a few seconds, this acts as a battery saving measure
- Real Time Clock (RTC) displays local and world times

Block Diagram

With 1 pcs of 2Gx8 Flash Memory



Pinouts

| Pin No. | Pin Name |
|---------|----------|
| 01 | VCC |
| 02 | USB- |
| 03 | USB+ |
| 04 | VSS |
| 05 | GND |

Pin Identification

| Symbol | Function |
|--------------|--|
| USB+ USB- | USB differential signal: The pairs are used to transmit Data/Address/Command |
| VCC | USB Power Input |
| VSS | Ground |
| GND | Ground |

Specifications

| Host Interface | USB2.0 |
|-------------------------|---------------------------------|
| Storage | 2GB/4GB |
| Size: | 82 mm × 40.5 mm × 12 mm |
| Weight: | 45g (with Li-ion battery) |
| Data Retention: | Up to 10 years |
| Erase Cycles: | ≥ 100,000 times |
| Signal-to-Noise Ratio: | ≥ 90dB |
| Power Supply | USB mass storage: DC5V ±10% |
| 1 ower Supply | MP3 Player: 3.7V Li-ion battery |
| Estimated Battery Life: | 15 hours (Li-ion battery) |
| Music Formats: | MP3 and WMA (No DRM support) |
| Recording Format: | ADPCM (WAV) |
| Compression Rates: | 32Kbps-320Kbps |
| Certificates: | CE, FCC, BSMI |
| Warranty: | 2-years |