

# **ATP80**

## **Seven Segment Displayer Controller**

### Datasheet

Release Date: June. 2001

**Revision: 1.0**

## 1. General Description

ATP80 is a Seven Segment Displayer controller. Through the two pins of GPIODA and GPIOCL, ATP80 is able to receive and transmit data from and to SM Bus, and display the data on two Seven Segment Displayers.

It is ideal for the system debugging and status monitoring applications.

## 2. Features

- Seven Segment Displayer Controller
  - Support up to two Seven Segment Displayers.
- SM Bus Interface
  - Use GPIODA and GPIOCL pins to communicate with system through its SM Bus
- Package
  - SOP 16-Pin

### 3. Pin Configuration





Figure 1. ATP80 Pin Diagram (Top View)

Attansic Technology Corporation  
Confidential

### 4. Package Information SOP16pin Outline Dimension



Symbol	Dimension in mm		Dimension in inch	
	Min	Max	Min	Max
A	1.35	1.75	0.0532	0.0688
A1	0.10	0.25	0.0040	0.0098
B	0.33	0.51	0.013	0.020
C	0.19	0.25	0.0075	0.0098
e	1.27BSC		0.050BSC	
D	9.80	10.00	0.3859	0.3937
H	5.80	6.20	0.2284	0.2440
E	3.80	4.00	0.1497	0.1574
L	0.40	1.27	0.016	0.050
h	0.25	0.50	0.0099	0.0196
θ	0°	8°	0°	8°
JEDEC	MS-012(AC)			

\*NOTES: DIMENSION "D" DOES NOT INCLUDE MOLD FLASH, PROTRUSIONS OR GATE BURRS.

MOLD FLASH, PROTRUSIONS AND GATE BURRS SHALL NOT EXCEED 0.15 MM (0.006 INCH) PER SIDE.

Copyright © 2000 Attansic Technology Corp.

This is a preliminary information release. All specifications are subject to change without notice. The materials contained in this document replace all previous documentation issued for the related products included herein. Please contact Attansic Technology Corp. for the latest documents.

Attansic is the trademark of Attansic Technology Corp.

All specifications are subject to change without notice.

Additional copies of this document or other Attansic literatures may be obtained from:

**No. 50, Kuang-Ming 9th Rd.,  
Chu-Pei, Hsin-Chu Hsien,  
Taiwan, R. O. C.**

**Tel: 886-3-5545660  
Fax: 886-3-5545661**

If you have any marketing or sales questions or further information, please contact:

**Andy Tu:**

**E-mail: [andy\\_tu@attansic.com.tw](mailto:andy_tu@attansic.com.tw)**

**Tel: 886-3-5545660 (105)**

**Fax: 886-3-5545661**

**Mike Chang:**

**E-mail: [mike\\_chang@attansic.com.tw](mailto:mike_chang@attansic.com.tw)**

**Tel: 886-3-5545660 (109)**

**Fax: 886-3-5545661**

To find out more about Attansic, visit our World Wide Web address at:

**<http://www.attansic.com.tw/>**