


5	CDS15CD050D03	500	.430 (10.9)	.280 (7.1)	.140 (3.6)	.234 (5.9)	.025 (.6)
6	CD5CC060D03	300	.270 (6.9)	.190 (4.8)	.110 (2.8)	.120 (3.0)	.016 (.4)
6	CDSSCC060D03	300	.250 (6.4)	.160 (4.1)	.090 (2.3)	.120 (3.0)	.016 (.4)
6	CD6CD060D03	500	.275 (7.0)	.175 (4.4)	.095 (2.4)	.172 (4.4)	.016 (.4)
6	CDS10CD060D03	500	.310 (7.9)	.260 (6.6)	.120 (3.0)	.141 (3.6)	.016 (.4)
6	CDS15CD060D03	500	.430 (10.9)	.280 (7.1)	.140 (3.6)	.234 (5.9)	.025 (.6)
7	CD5CC070D03	300	.270 (6.9)	.190 (4.8)	.110 (2.8)	.120 (3.0)	.016 (.4)
7	CDSSCC070D03	300	.250 (6.4)	.160 (4.1)	.090 (2.3)	.120 (3.0)	.016 (.4)
7	CD6CD070D03	500	.275 (7.0)	.175 (4.4)	.095 (2.4)	.172 (4.4)	.016 (.4)
7	CDS10CD070D03	500	.310 (7.9)	.260 (6.6)	.120 (3.0)	.141 (3.6)	.016 (.4)
7	CDS15CD070D03	500	.430 (10.9)	.280 (7.1)	.140 (3.6)	.234 (5.9)	.025 (.6)
8	CD5CC080D03	300	.270 (6.9)	.190 (4.8)	.110 (2.8)	.120 (3.0)	.016 (.4)
8	CDSSCC080D03	300	.250 (6.4)	.160 (4.1)	.090 (2.3)	.120 (3.0)	.016 (.4)
8	CD6CD080D03	500	.275 (7.0)	.175 (4.4)	.095 (2.4)	.172 (4.4)	.016 (.4)
8	CDS10CD080D03	500	.310 (7.9)	.260 (6.6)	.120 (3.0)	.141 (3.6)	.016 (.4)
8	CDS15CD080D03	500	.430 (10.9)	.280 (7.1)	.140 (3.6)	.234 (5.9)	.025 (.6)
9	CD5CC090D03	300	.270 (6.9)	.190 (4.8)	.110 (2.8)	.120 (3.0)	.016 (.4)
9	CDSSCC090D03	300	.250 (6.4)	.160 (4.1)	.090 (2.3)	.120 (3.0)	.016 (.4)
9	CD6CD090D03	500	.275 (7.0)	.175 (4.4)	.095 (2.4)	.172 (4.4)	.016 (.4)
9	CDS10CD090D03	500	.310 (7.9)	.260 (6.6)	.120 (3.0)	.141 (3.6)	.016 (.4)
9	CDS15CD090D03	500	.430 (10.9)	.280 (7.1)	.140 (3.6)	.234 (5.9)	.025 (.6)

18	CDS15CD180J03	500	.430 (10.9)	.280 (7.1)	.140 (3.6)	.234 (5.9)	.025 (.6)
20	CD5EC200J03	300	.270 (6.9)	.200 (5.1)	.120 (3.0)	.120 (3.0)	.016 (.4)
20	CDSSC200J03	300	.250 (6.4)	.170 (4.3)	.100 (2.5)	.120 (3.0)	.016 (.4)
20	CD6ED200J03	500	.275 (7.0)	.175 (4.4)	.095 (2.4)	.172 (4.4)	.016 (.4)
20	CDS10ED200J03	500	.310 (7.9)	.260 (6.6)	.120 (3.0)	.141 (3.6)	.016 (.4)
20	CDS15ED200J03	500	.430 (10.9)	.280 (7.1)	.140 (3.6)	.234 (5.9)	.025 (.6)
22	CD5EC220J03	300	.270 (6.9)	.200 (5.1)	.120 (3.0)	.120 (3.0)	.016 (.4)
22	CDSSC220J03	300	.250 (6.4)	.170 (4.3)	.100 (2.5)	.120 (3.0)	.016 (.4)
22	CD6ED220J03	500	.275 (7.0)	.175 (4.4)	.095 (2.4)	.172 (4.4)	.016 (.4)
22	CDS10ED220J03	500	.310 (7.9)	.260 (6.6)	.120 (3.0)	.141 (3.6)	.016 (.4)
22	CDS15ED220J03	500	.430 (10.9)	.280 (7.1)	.140 (3.6)	.234 (5.9)	.025 (.6)
24	CD5EC240J03	300	.270 (6.9)	.200 (5.1)	.120 (3.0)	.120 (3.0)	.016 (.4)
24	CDSSC240J03	300	.250 (6.4)	.170 (4.3)	.100 (2.5)	.120 (3.0)	.016 (.4)
24	CD6ED240J03	500	.275 (7.0)	.175 (4.4)	.095 (2.4)	.172 (4.4)	.016 (.4)
24	CDS10ED240J03	500	.310 (7.9)	.260 (6.6)	.120 (3.0)	.141 (3.6)	.016 (.4)
24	CDS15ED240J03	500	.430 (10.9)	.280 (7.1)	.140 (3.6)	.234 (5.9)	.025 (.6)
27	CD5EC270J03	300	.270 (6.9)	.200 (5.1)	.130 (3.3)	.120 (3.0)	.016 (.4)
27	CDSSC270J03	300	.250 (6.4)	.170 (4.3)	.110 (2.8)	.120 (3.0)	.016 (.4)
27	CD6ED270J03	500	.275 (7.0)	.175 (4.4)	.095 (2.4)	.172 (4.4)	.016 (.4)
27	CDS10ED270J03	500	.310 (7.9)	.260 (6.6)	.120 (3.0)	.141 (3.6)	.016 (.4)
27	CDS15ED270J03	500	.430 (10.9)	.280 (7.1)	.140 (3.6)	.234 (5.9)	.025 (.6)

4.006

1605 East Rodney French Blvd.  
 New Bedford, MA 02744  
 (508) 996-8564, Fax (508) 996-3830  
<http://www.cornell-dubilier.com>  
 E-mail: [cdendb@cornell-dubilier.com](mailto:cdendb@cornell-dubilier.com)

**CDE** **CORNELL**  
**DUBILIER**  
 Your Source For Capacitor Solutions



75	CDSSEC750J03	300	.250 (6.4)	.190 (4.8)	.140 (3.6)	.120 (3.0)	.016 (.4)
75	CD6ED750J03	500	.275 (7.0)	.175 (4.4)	.095 (2.4)	.172 (4.4)	.016 (.4)
75	CDS10ED750J03	500	.310 (7.9)	.260 (6.6)	.130 (3.3)	.141 (3.6)	.016 (.4)
75	CDS15ED750J03	500	.430 (10.9)	.280 (7.1)	.140 (3.6)	.234 (5.9)	.025 (.6)
82	CD5EC820J03	300	.270 (6.9)	.230 (5.8)	.160 (4.1)	.120 (3.0)	.016 (.4)
82	CD65EC820J03	300	.250 (6.4)	.190 (4.8)	.095 (2.4)	.172 (4.4)	.016 (.4)
82	CDSED820J03	300	.275 (7.0)	.175 (4.4)	.140 (3.6)	.120 (3.0)	.016 (.4)
82	CDS10ED820J03	500	.310 (7.9)	.260 (6.6)	.130 (3.3)	.141 (3.6)	.016 (.4)
82	CDS15ED820J03	500	.430 (10.9)	.280 (7.1)	.140 (3.6)	.234 (5.9)	.025 (.6)
91	CD5FC910J03	300	.270 (6.9)	.230 (5.8)	.170 (4.3)	.120 (3.0)	.016 (.4)
91	CD6FC910J03	300	.275 (7.0)	.190 (4.8)	.095 (2.4)	.172 (4.4)	.016 (.4)
91	CDS5FC910J03	300	.250 (6.4)	.175 (4.4)	.150 (3.8)	.120 (3.0)	.016 (.4)
91	CDS10FD910J03	500	.310 (7.9)	.260 (6.6)	.130 (3.3)	.141 (3.6)	.016 (.4)
91	CDS15FD910J03	500	.430 (10.9)	.280 (7.1)	.150 (3.8)	.234 (5.9)	.025 (.6)
100	CD5FC101J03	300	.270 (6.9)	.240 (6.1)	.180 (4.6)	.120 (3.0)	.016 (.4)
100	CD6FC101J03	300	.275 (7.0)	.175 (4.4)	.095 (2.4)	.172 (4.4)	.016 (.4)

270	CD7FC271J03	300	.265 (6.7)	.260 (6.6)	.110 (2.8)	.172 (4.4)	.016 (.4)
270	CDS10FC271J03	300	.340 (8.6)	.270 (6.9)	.160 (4.1)	.141 (3.6)	.016 (.4)
270	D75F271J03	500	.340 (8.6)	.270 (6.9)	.160 (4.1)	.141 (3.6)	.016 (.4)
270	CDS15FD271J03	500	.440 (11.2)	.290 (7.4)	.160 (4.1)	.234 (5.9)	.025 (.6)
270	CDS19FD271J03	500	.610 (15.5)	.450 (11.4)	.130 (3.3)	.344 (8.7)	.032 (.8)
300	CD5FY301J03	50	.270 (6.9)	.230 (5.8)	.170 (4.3)	.120 (3.0)	.016 (.4)
300	CDS5FY301J03	50	.250 (6.4)	.190 (4.8)	.150 (3.8)	.120 (3.0)	.016 (.4)
300	CD7FC301J03	300	.265 (6.7)	.260 (6.6)	.110 (2.8)	.172 (4.4)	.016 (.4)
300	CDS10FC301J03	300	.340 (8.6)	.270 (6.9)	.160 (4.1)	.141 (3.6)	.016 (.4)
300	D75F301J03	500	.340 (8.6)	.270 (6.9)	.160 (4.1)	.141 (3.6)	.016 (.4)
300	CDS15FD301J03	500	.440 (11.2)	.290 (7.4)	.160 (4.1)	.234 (5.9)	.025 (.6)
300	CDS19FD301J03	500	.610 (15.5)	.450 (11.4)	.130 (3.3)	.344 (8.7)	.032 (.8)
330	CD5FY331J03	50	.270 (6.9)	.240 (6.1)	.180 (4.6)	.120 (3.0)	.016 (.4)
330	CDS5FY331J03	50	.250 (6.4)	.190 (4.8)	.160 (4.1)	.120 (3.0)	.016 (.4)
330	CD7FA331J03	100	.275 (7.0)	.260 (6.6)	.125 (3.2)	.172 (4.4)	.016 (.4)
330	CDS10FA331J03	100	.340 (8.6)	.270 (6.9)	.160 (4.1)	.141 (3.6)	.016 (.4)




**CORNELL  
DUBILIER**

Your Source For Capacitor Solutions

1605 East Rodney French Blvd.  
New Bedford, MA 02744  
(508) 996-8564, Fax (508) 996-3830  
<http://www.cornell-dubilier.com>  
E-mail: [cdensb@cornell-dubilier.com](mailto:cdensb@cornell-dubilier.com)

4.007




820	CDS15FC821J03	300	.450 (11.4)	.310 (7.9)	.170 (4.3)	.234 (5.9)	.025 (.6)
820	CD7FA821J03	100	.300 (7.6)	.290 (7.4)	.135 (3.4)	.172 (4.4)	.016 (.4)
820	CDS19FD821J03	500	.610 (15.5)	.460 (11.7)	.150 (3.8)	.344 (8.7)	.032 (.8)
910	CD7FA911J03	100	.300 (7.6)	.290 (7.4)	.135 (3.4)	.172 (4.4)	.016 (.4)
910	D71F911J03	100	.340 (8.6)	.310 (7.9)	.170 (4.3)	.141 (3.6)	.016 (.4)
910	CDS15FA911J03	100	.450 (11.4)	.310 (7.9)	.170 (4.3)	.234 (5.9)	.025 (.6)
910	CDS19FD911J03	500	.620 (15.7)	.460 (11.7)	.160 (4.1)	.344 (8.7)	.032 (.8)
1000	CD7FA102J03	100	.320 (8.1)	.300 (7.6)	.155 (3.9)	.172 (4.4)	.016 (.4)
1000	D71F102J03	100	.340 (8.6)	.310 (7.9)	.170 (4.3)	.141 (3.6)	.016 (.4)
1000	CDS15FA102J03	100	.450 (11.4)	.310 (7.9)	.170 (4.3)	.234 (5.9)	.025 (.6)
1000	CDS19FD102J03	500	.620 (15.7)	.460 (11.7)	.160 (4.1)	.344 (8.7)	.032 (.8)
1100	CD7FA112J03	100	.320 (8.1)	.300 (7.6)	.155 (3.9)	.172 (4.4)	.016 (.4)
1100	D71F112J03	100	.340 (8.6)	.310 (7.9)	.170 (4.3)	.141 (3.6)	.016 (.4)
1100	CDS15FA112J03	100	.460 (11.7)	.310 (7.9)	.180 (4.6)	.234 (5.9)	.025 (.6)
1100	CDS19FD112J03	500	.620 (15.7)	.460 (11.7)	.160 (4.1)	.344 (8.7)	.032 (.8)
1200	CD7FA122J03	100	.320 (8.1)	.300 (7.6)	.155 (3.9)	.172 (4.4)	.016 (.4)
1200	D71F122J03	100	.340 (8.6)	.310 (7.9)	.170 (4.3)	.141 (3.6)	.016 (.4)

13000	CDS30FD122J03	500	.740 (18.8)	.810 (20.6)	.300 (7.6)	.438 (11.1)	.040 (1.0)
15000	CDS30FD153J03	500	.740 (18.8)	.820 (20.8)	.330 (8.4)	.438 (11.1)	.040 (1.0)
16000	CDS30FD163J03	500	.740 (18.8)	.820 (20.8)	.340 (8.6)	.438 (11.1)	.040 (1.0)
18000	CDS30FD183J03	500	.750 (19.1)	.820 (20.8)	.360 (9.1)	.438 (11.1)	.040 (1.0)
20000	CDS30FD203J03	500	.750 (19.1)	.830 (21.1)	.380 (9.7)	.438 (11.1)	.040 (1.0)
22000	CDS30FD223J03	500	.760 (19.3)	.840 (21.4)	.400 (10.2)	.438 (11.1)	.040 (1.0)
24000	CDS30FC243J03	300	.740 (18.8)	.820 (20.8)	.340 (8.6)	.438 (11.1)	.040 (1.0)
25000	CDS30FC253J03	300	.750 (19.1)	.820 (20.8)	.360 (9.1)	.438 (11.1)	.040 (1.0)
27000	CDS30FC273J03	300	.750 (19.1)	.820 (20.8)	.360 (9.1)	.438 (11.1)	.040 (1.0)
30000	CDS30FC303J03	300	.760 (19.3)	.830 (21.1)	.390 (9.9)	.438 (11.1)	.040 (1.0)
33000	CDS30FA333J03	100	.750 (19.1)	.830 (21.1)	.380 (9.7)	.438 (11.1)	.040 (1.0)
36000	CDS30FA363J03	100	.760 (19.3)	.830 (21.1)	.390 (9.9)	.438 (11.1)	.040 (1.0)
40000	CDS30FA403J03	100	.760 (19.3)	.830 (21.1)	.410 (10.4)	.438 (11.1)	.040 (1.0)





4.008

1605 East Rodney French Blvd.  
 New Bedford, MA 02744  
 (508) 996-8564, Fax (508) 996-3830  
<http://www.cornell-dubilier.com>  
 E-mail: cdenb@cornell-dubilier.com

**CDE** **CORNELL DUBILIER**  
 Your Source For Capacitor Solutions




- 1,500 amps peak current capability



**CDE** **CORNELL DUBILIER**  
Your Source For Capacitor Solutions

1605 East Rodney French Blvd.  
New Bedford, MA 02744  
(508) 996-8564, Fax (508) 996-3830  
<http://www.cornell-dubilier.com>  
E-mail: [cdenb@cornell-dubilier.com](mailto:cdenb@cornell-dubilier.com)

4.009



420	CDV16FF421J03	.45 (11.4)	.47 (11.9)	.16 (4.1)	95	.092	.23	.46	.92	2.0	2.0
430	CDV16FF431J03	.45 (11.4)	.47 (11.9)	.16 (4.1)	97	.095	.24	.47	.95	2.0	2.0
470	CDV16FF471J03	.45 (11.4)	.47 (11.9)	.16 (4.1)	106	.10	.26	.52	1.0	2.1	2.1
500	CDV16FF501J03	.45 (11.4)	.47 (11.9)	.16 (4.1)	113	.11	.27	.55	1.1	2.2	2.2
510	CDV16FF511J03	.45 (11.4)	.47 (11.9)	.16 (4.1)	115	.11	.28	.56	1.1	2.2	2.2
560	CDV16FF561J03	.46 (11.7)	.50 (12.7)	.17 (4.4)	126	.12	.31	.62	1.2	2.4	2.4
620	CDV16FF621J03	.46 (11.7)	.50 (12.7)	.17 (4.4)	140	.14	.34	.68	1.4	2.5	2.5
680	CDV16FF681J03	.46 (11.7)	.50 (12.7)	.17 (4.4)	153	.15	.37	.75	1.5	2.7	2.7
750	CDV16FF751J03	.46 (11.7)	.50 (12.7)	.17 (4.4)	169	.16	.41	.82	1.6	2.8	2.8
820	CDV16FF821J03	.46 (11.7)	.50 (12.7)	.17 (4.4)	185	.18	.45	.90	1.8	2.9	2.9
910	CDV16FF911J03	.46 (11.7)	.50 (12.7)	.17 (4.4)	205	.20	.50	1.0	2.0	3.1	3.1
1000	CDV16FF102J03	.46 (11.7)	.50 (12.7)	.17 (4.4)	225	.22	.55	1.1	2.2	3.2	3.2
1200	CDV16FF122J03	.46 (11.7)	.50 (12.7)	.17 (4.4)	270	.26	.66	1.3	2.6	3.5	3.5
1300	CDV16FF132J03	.46 (11.7)	.50 (12.7)	.17 (4.4)	293	.29	.71	1.4	2.9	3.7	3.7
1500	CDV16FF152J03	.46 (11.7)	.50 (12.7)	.18 (4.6)	338	.33	.82	1.6	3.3	3.9	3.9
1800	CDV16FF182J03	.47 (11.9)	.52 (13.2)	.25 (6.4)	495	.40	.99	2.0	4.0	4.8	4.8
2000	CDV16FF202J03	.47 (11.9)	.52 (13.2)	.25 (6.4)	605	.48	1.2	2.4	4.8	5.3	5.3
2200	CDV16FF222J03	.47 (11.9)	.52 (13.2)	.25 (6.4)	605	.48	1.2	2.4	4.8	5.3	5.3
2400	CDV16FF242J03	.47 (11.9)	.52 (13.2)	.25 (6.4)	660	.53	1.3	2.6	5.3	5.5	5.5
2700	CDV16FF272J03	.47 (11.9)	.52 (13.2)	.25 (6.4)	743	.59	1.5	3.0	5.8	5.8	5.8
3000	CDV16FF302J03	.47 (11.9)	.52 (13.2)	.25 (6.4)	825	.66	1.6	3.3	6.2	6.2	6.2

4.010

1605 East Rodney French Blvd.  
 New Bedford, MA 02744  
 (508) 996-8564, Fax (508) 996-3830  
<http://www.cornell-dubilier.com>  
 E-mail: [cdendb@cornell-dubilier.com](mailto:cdendb@cornell-dubilier.com)



Your Source For Capacitor Solutions

