

M24758/1 EMI/EMP Shielding Conduit

M24758/1-16

Basic Part No. _____ Conduit Size Code _____




TABLE I

Conduit Size Code	Nominal I.D.	I.D. Min	O.D. (Over Core)		O.D. (Over Jacket)		Min Bend Radius (Inside)
			± 0.01	(.3)	± 0.040	(1.0)	
02	.250 (6.4)	.245 (6.2)	.364	(9.2)	.580	(14.7)	1.250 (31.8)
03	.375 (9.5)	.370 (9.4)	.488	(12.4)	.700	(17.8)	2.000 (50.8)
04	.500 (12.7)	.495 (12.6)	.637	(16.2)	.850	(21.6)	2.500 (63.5)
05	.625 (15.9)	.620 (15.7)	.760	(19.3)	.980	(24.9)	3.000 (76.2)
06	.750 (19.1)	.745 (18.9)	.880	(22.4)	1.100	(27.9)	3.750 (95.3)
08	1.000 (25.4)	.995 (25.3)	1.192	(30.3)	1.410	(35.8)	5.000 (127.0)
10	1.250 (31.8)	1.245 (31.6)	1.454	(36.9)	1.660	(42.2)	6.250 (158.8)
12	1.500 (38.1)	1.495 (38.0)	1.704	(43.3)	1.910	(48.5)	7.500 (190.5)
16	2.000 (50.8)	1.995 (50.7)	2.214	(56.2)	2.440	(62.0)	10.000 (254.0)
20	2.500 (63.5)	2.495 (63.4)	2.714	(68.9)	2.940	(74.7)	12.500 (317.5)
24	3.000 (76.2)	2.995 (76.1)	3.204	(81.4)	3.440	(87.4)	15.000 (381.0)

1. Metric dimensions (mm) are indicated in parentheses.
2. For complete dimensions see applicable Military Specification.