

January 26, 1987

ULN-3751Z

POWER OPERATIONAL AMPLIFIER


FEATURES

- $\pm 3\text{ V}$ to $\pm 13\text{ V}$ Operation
- High Output Swing
- Peak Output Current to $\pm 3.5\text{ A}$
- Low Input Offset
- 90 dB Typical Open-Loop Gain
- Internal Thermal Shutdown
- High Common-Mode Input Range
- Unity Gain Stable
- Pin Compatible with L165, L465, SG1173

A ²**S** COMBINATION general-purpose operational amplifier and power booster, Type ULN-3751Z integrated circuit simplifies circuit design, reduces component count, and enhances system reliability.

This power op amp features high-impedance differential inputs, a unity-gain stable amplifier that needs no external compensation, and a high-current power output. Typical applications include use as voice-coil motor drivers, linear servo amplifiers, power oscillators, bipolar voltage regulators, and audio power drivers.

The ULN-3751Z is for applications demanding up to $\pm 3.5\text{ A}$ of output current. It is furnished in a modified 5-lead JEDEC-style TO-220 plastic package. Lead forming for vertical or horizontal mounting is available (ULN-3751ZV or ULN-3751ZH). The heat sink tab is at substrate potential and must be insulated from ground when the device is used with a split supply.



Dwg No A-12 3b4

This power op amp operates over a recommended supply voltage range of $\pm 3\text{ V}$ to $\pm 13\text{ V}$. Dual power op amps are available as the ULN-3755B (16-pin DIP) and the high-power ULN-3755W (12-pin SIP). Both of those devices include output current sensing and a voltage boost connection to maximum output voltage swing to $\pm 20\text{ V}$ supplies at up to $\pm 3.5\text{ A}$ peak output current.

SEMICONDUCTOR GROUP
SPRAGUE ELECTRIC COMPANY


a Unit of The Penn Central Corporation
 115 Northeast Cutoff, Worcester, MA 01606

-1-

ABSOLUTE MAXIMUM RATINGS

at $T_A = +25^\circ\text{C}$

Supply Voltage Differential ($+V_s$ to $-V_s$)	28 V
Peak Output Current, I_{OUT}	± 3.5 A
Input Voltage Range, V_{IN}	$+V_s$ to $-V_s - 0.3$ V
Package Power Dissipation, P_D	See Graph
Operating Temperature Range, T_A	0°C to $+70^\circ\text{C}$
Storage Temperature Range, T_s	-40°C to $+150^\circ\text{C}$

ALLOWABLE POWER DISSIPATION
AS A FUNCTION OF AMBIENT TEMPERATURE

Dwg. No. A-14 249

ELECTRICAL CHARACTERISTICS at $T_A = +25^\circ\text{C}$, $T_{\text{AB}} \leq +70^\circ\text{C}$, $V_S = \pm 6.0\text{ V}$ (unless otherwise noted)


Characteristic	Test Conditions	Limits			
		Min.	Typ.	Max.	Unit
Functional Supply Voltage Range	$+V_S$ to $-V_S$	6.0	—	26	V
Quiescent Supply Current		—	40	60	mA
Input Bias Current	$V_{\text{IN}} = 0$, $I_{\text{OUT}} = 0$	—	-60	-1000	nA
Input Offset Voltage	$V_{\text{IN}} = 0$, $I_{\text{OUT}} = 0$	—	± 2.0	± 10	mV
Input Offset Current	$V_{\text{IN}} = 0$, $I_{\text{OUT}} = 0$	—	10	100	nA
Input Noise Voltage†	BW = 40 Hz to 15 kHz	—	4.0	—	μV
Input Noise Current†	BW = 40 Hz to 15 kHz	—	60	—	pA
Crossover Distortion†	$P_{\text{OUT}} = 50\text{ mW}$, $R_L = 4\ \Omega$	—	<0.05	—	%
Common Mode Rejection	$\Delta V_{\text{CM}} = 2\text{ V}$	60	85	—	dB
Input Common Mode Range†	Positive	—	$+V_S - 2\text{ V}$	—	V
	Negative	—	$-V_S - 0.3\text{ V}$	—	V
Open-Loop Voltage Gain	$f = 0$	80	90	—	dB
Slew Rate	$V_{\text{IN}} = V_{\text{OUT}} = 6\text{ Vpp}$, $R_L = \infty$	1.0	2.3	—	$\text{V}/\mu\text{s}$
Gain-Bandwidth Product†	$A_v = 40\text{ dB}$	—	3.5	—	MHz
Output Voltage Swing	$I_{\text{OUT}} = 1.0\text{ A}$	4.5	4.7	—	V
	$I_{\text{OUT}} = -1\text{ A}$	-4.5	-4.7	—	V
Supply Voltage Rejection	$+V_S$, $\Delta V = 1\text{ V}$	60	85	—	dB
	$-V_S$, $\Delta V = 1\text{ V}$	60	80	—	dB
Thermal Shutdown Temp. †		—	160	—	$^\circ\text{C}$

*This parameter is tested to a lot sample plan only.

†Typical values given for circuit design information only.


TYPICAL APPLICATIONS

**WIEN BRIDGE
OSCILLATOR/MOTOR DRIVER**



Dwg No A-12.376B


**VIDEO MONITOR
VERTICAL DEFLECTION MAP**



Dwg No A-12.375A


TYPICAL APPLICATIONS

UNITY GAIN VOLTAGE FOLLOWER




Dwg No A-12.551

NON-INVERTING POWER AMPLIFIER




Dwg No A-12.552

LINEAR VOLTAGE REGULATOR



Dwg. No. A-12.553A


HIGH-POWER LINEAR REGULATOR
(Short-Circuit Protected)



Dwg No A-12 554B

TYPICAL APPLICATIONS


SINGLE-ENDED POSITION SERVO WITH SENSE POTENTIOMETER



R1, R2 DEFINE D-C GAIN.
R3, C1 PICKED TO PROVIDE LOOP COMPENSATION.
CAPACITANCE VALUES IN μF .

Dwg No A-12.556

SIMPLIFIED SERVO APPLICATION WITH CONTROL TRANSFORMERS




Dwg No A-14.250

PLASTIC SIP


SPRAGUE PACKAGE DESIGNATOR Z, ZH OR ZV

DIMENSIONS IN INCHES

DESIGNATOR Z
(JEDEC Designation TO-220AB)




DESIGNATOR ZH
PACKAGE Z
(Except as Shown)



Dwg No A-13 655 IN

DESIGNATOR ZV
PACKAGE Z
(Except as Shown)



Dwg No A-13 656 IN


- A. Dimensions shown as — / — are Min./Max.
- B. Lead thickness is measured at seating plane or below.
- C. Lead spacing tolerance is non-cumulative.
- D. Exact body and lead configuration at vendor's option within limits shown.
- E. Leads missing from their designated positions shall also be counted when numbering leads.
- F. Lead gauge plane is 0.030" (7.62 mm) max. below seating plane.

PLASTIC SIP

SPRAGUE PACKAGE DESIGNATOR Z, ZH OR ZV


DIMENSIONS IN MILLIMETERS
Based on 1" = 25.4 mm

DESIGNATOR Z
(JEDEC Designation TO-220AB)




Dwg No A-13 654 MM

DESIGNATOR ZH
PACKAGE Z
(Except as Shown)



Dwg No A-13 655 MM

DESIGNATOR ZV
PACKAGE Z
(Except as Shown)



Dwg No A-13 656 MM

- A. Dimensions shown as — / — are Min./Max.
- B. Lead thickness is measured at seating plane or below.
- C. Lead spacing tolerance is non-cumulative.
- D. Exact body and lead configuration at vendor's option within limits shown.
- E. Leads missing from their designated positions shall also be counted when numbering leads.
- F. Lead gauge plane is 0.030" (7.62 mm) max. below seating plane.

SALES OFFICES

UNITED STATES

ABAMA

Trinkle Sales Inc.
 Suite 13 — 9694 Hwy. 20 W
 Madison 35758
 Tel. 205-461-7000

ALABAMA

Trinkle Sales Inc.
 Suite 21
 22 South Memorial Parkway
 Huntsville 35801
 Tel. 205-883-9948

ARIZONA

Sprague Electric Company
 Suite 209 — 1819 S. Dobson Rd
 Mesa 85202 — 5690
 Tel. 602/244-0154
 Tel. 602/831-6762

ARIZONA

Sprague Electric Company
 Suite 601
 50 E. Pennsylvania Street
 Tucson 85714 — 1640
 Tel. 602-746-0955

CALIFORNIA (Metro. L.A.)

Sprague Electric Company
 Suite 150 — 3100 S. Harbor Blvd
 Inglewood 90704
 Tel. 714-549-9913

CALIFORNIA

Sprague Electric Company
 Suite 459
 350 Sherman Way
 Van Nuys 91406
 Tel. 818/994-6500

CONNECTICUT

William J. Purdy Company
 10 Airport Blvd
 Bridgeport 06410 — 1927
 Tel. 415/347-7701

FLORIDA

Trinkle Sales Inc.
 Suite 117 — 10721 Treena Street
 San Diego 92131 — 1009
 Tel. 619/566-9891

FLORIDA

William J. Purdy Company
 70 E. Yale Ave
 Denver 80222 — 6907
 Tel. 303/753-6800

FLORIDA

Trinkle Sales Inc.
 Suite 117 — 10721 Treena Street
 San Diego 92131 — 1009
 Tel. 619/566-9891

FLORIDA

William J. Purdy Company
 70 E. Yale Ave
 Denver 80222 — 6907
 Tel. 303/753-6800

FLORIDA

Trinkle Sales Inc.
 Suite 117 — 10721 Treena Street
 San Diego 92131 — 1009
 Tel. 619/566-9891

FLORIDA

Trinkle Sales Inc.
 Suite 117 — 10721 Treena Street
 San Diego 92131 — 1009
 Tel. 619/566-9891

FLORIDA

Trinkle Sales Inc.
 Suite 117 — 10721 Treena Street
 San Diego 92131 — 1009
 Tel. 619/566-9891

FLORIDA

Trinkle Sales Inc.
 Suite 117 — 10721 Treena Street
 San Diego 92131 — 1009
 Tel. 619/566-9891

FLORIDA

Trinkle Sales Inc.
 Suite 117 — 10721 Treena Street
 San Diego 92131 — 1009
 Tel. 619/566-9891

FLORIDA

Sprague Electric Company
 P.O. Box 1410
 Altamonte Springs 32715 — 1410
 Tel. 305/831-3636

Sprague Electric Company
 Suite 419 — 1500 N.W. 62nd Street
 Ft. Lauderdale 33309 — 1802
 Tel. 305/491-7411

Sprague Electric Company
 Suite T, Building 501
 1001 North Dale Mabry
 Tampa 33614 — 3265
 Tel. 813/935-8203

GEORGIA

Electramark Inc.
 6030 — 1 Unity Drive
 Norcross 30071 — 3583
 Tel. 404/446-7915

Electronic Marketing Associates
 Suite 101
 6695 Peachtree Industrial Blvd
 Atlanta 30360 — 2116
 Tel. 404/448-1215

ILLINOIS (Northern)

D. Dolin Sales
 609 Academy Drive
 Northbrook 60062
 Tel. 312/498-6770
 (Southern)
 EPI Inc.
 Suite 201 — 103 W. Lockwood
 St. Louis, MO 63119 — 2915
 Tel. 314/962-1411

INDIANA

Sprague Electric Company
 Suite 290 — 8200 Haverstick Road
 Indianapolis 46240
 Tel. 317/253-4247

IOWA

J. R. Sales Engineering, Inc.
 1930 St. Andrews N.E.
 Cedar Rapids 52402
 Tel. 319/393-2232

KANSAS

EPI Inc.
 9016 West 83rd Street
 Overland Park 66204
 Tel. 913/341-2024

KENTUCKY

Sprague Electric Company
 821 Corporate Drive
 Unit #16, Suite 200
 Lexington 40503
 Tel. 606/224-4230

MARYLAND

Sprague Electric Company
 Suite 311
 14333 Laurel-Bowie Road
 Laurel 20708 — 1130
 Tel. 301/792-4890

Trinkle Sales Inc.
 P.O. Box 5320
 Cherry Hill, NJ 08034 — 0460
 Tel. 609/795-4200

MASSACHUSETTS

New England Technical Sales Corp.
 101 Cambridge Street
 Burlington 01803
 Tel. 617/272-0434

MICHIGAN

Sprague Electric Company
 Suite 301 — 2155 Jackson Road
 Ann Arbor 48103 — 3917
 Tel. 313/761-2014

MINNESOTA

HMR, Inc.
 9065 Lyndale Ave. South
 Minneapolis 55420 — 3520
 Tel. 612/888-2122

MISSISSIPPI

EPI Inc.
 Suite 13 — 9694 Hwy. 20 W
 Madison, AL 35758
 Tel. 205/461-7000

MISSOURI

EPI Inc.
 Suite 201 — 103 W. Lockwood
 St. Louis 63119 — 2915
 Tel. 314/962-1411

NEBRASKA

J. R. Sales Engineering, Inc.
 1930 St. Andrews N.E.
 Cedar Rapids, Iowa 52402
 Tel. 319/393-2232

NEW HAMPSHIRE

New England Technical Sales Corp.
 101 Cambridge Street
 Burlington, MA 01803
 Tel. 617/272-0434

NEW JERSEY (Northern)

Sprague Electric Company
 P.O. Box 1612
 Wayne 07470 — 0701
 Tel. 201/696-8200

(Southern)

Trinkle Sales Inc.
 P.O. Box 5320
 Cherry Hill 08034 — 0460
 Tel. 609/795-4200

NEW MEXICO

William J. Purdy Company
 120 LaVeta Drive NE
 Albuquerque 87108 — 1613
 Tel. 505/266-7959

NEW YORK (Downstate)

Sprague Electric Company
 2001 Palmer Ave
 Larchmont 10538 — 2420
 Tel. 914/834-4439

(Long Island)

Sprague Electric Company
 P.O. Box 541
 Central Islip 11722 — 0541
 Tel. 516/234-8700

(Upstate)

Sprague Electric Company
 2002 Teall Ave
 Syracuse 13206 — 1542
 Tel. 315/437-7311

Paston-Hunter Co., Inc.
 2002 Teall Ave
 Syracuse 13206 — 1596
 Tel. 315/437-2843

NORTH CAROLINA

Sprague Electric Company
 9741-M Southern Pine Blvd
 Charlotte 28210 — 5560
 Tel. 704/527-1306

Electronic Marketing Associates
 9225 Honeycutt Creek Rd
 Raleigh 27609 — 1523
 Tel. 919/847-8800

OHIO

Sprague Electric Company
 Suite 330 — 555 Metro Place North
 Dublin 43017 — 1375
 Tel. 614/761-1881

OREGON

Sprague Electric Company
 Suite L
 16209 S.E. McGillivray Boulevard
 Vancouver, WA 98664 — 9025
 Tel. 503/225-0493
 Tel. 206/892-0361

William J. Purdy Company
 7799 Southwest Cirrus Drive
 Beaverton 97005 — 5945
 Tel. 503/641-9373

PENNSYLVANIA

Trinkle Sales Inc.
 P.O. Box 5320
 Cherry Hill, NJ 08034 — 0460
 Tel. Phila. 215/922-2080

SOUTH CAROLINA

Electronic Marketing Associates
 210 W. Stone Ave
 Greenville 29609 — 5499
 Tel. 803/233-4637

TENNESSEE (Eastern)

Electronic Marketing Associates
 9225 Honeycutt Creek Road
 Raleigh, NC 27609 — 1523
 Tel. 919/847-8800

(Western)

EPI Inc.
 Suite 13 — 9694 Hwy. 20 W
 Madison, AL 35758
 Tel. 205/461-7000

TEXAS

Sprague Electric Company
 Suite 220
 9319 LBJ Freeway
 Dallas 75243 — 3403
 Tel. 214/235-1256

Sprague Electric Company

Suite 350W — 1106 Clayton Lane
 Austin 78723 — 1033
 Tel. 512/458-2514

UTAH

William J. Purdy Company
 5570 E. Yale Avenue
 Denver, CO 80222 — 6907
 Tel. 303/753-6800

VIRGINIA

Sprague Electric Company
 1 East Preston St
 Lexington 24450 — 3324
 Tel. 703/463-9161

Sprague Electric Company

Suite 311
 14333 Laurel-Bowie Road
 Laurel, MD 20708 — 1130
 Tel. 301/953-1717

Trinkle Sales Inc.

P.O. Box 5320
 Cherry Hill, NJ 08034 — 0460
 Tel. 609/795-4200

WASHINGTON

Sprague Electric Company
 Lake Union Place
 Suite 301
 1914 North 34th Street
 Seattle 98103
 Tel. 206/632-7761

Sprague Electric Company

Suite L
 16209 S.E. McGillivray, Bldg.
 Vancouver 98664
 Tel. 206/892-0361
 Tel. 503/225-0493

William J. Purdy Company

4082-148th Ave. N.E.
 Redmond 98052 — 5165
 Tel. 206/882-3144

WISCONSIN

D. Dolin Sales
 131 West Layton Ave
 Milwaukee 53207 — 5991
 Tel. 414/482-1111

PUERTO RICO

Electronic Sales Associates
 Calle 203 GO-11
 Country Club 3rd Ext
 Rio Piedras
 Tel. 809/762-6549

CANADA

Sprague Electric of Canada, Ltd.
 Suite 220
 2375 Steeles Avenue W.
 Downsview, Ontario M3J 3A8
 Tel. 416/665-6066

CANADA (continued)

Sprague Electric of Canada, Ltd.
 301 Moodie Drive
 Suite 300
 Nepean, Ontario K2H 9C4
 Tel. 613/726-0696

Birdie Marketing, Inc.

Unit 1
 111 Esna Park Drive
 Markham, Ont. L3R1H2
 Tel. 416/477-7722

EUROPE

Sprague World Trade Corp.
 18 Avenue Louis Casar
 1209-Geneva
 Switzerland
 Tel. 98-4021
 TLX 845-23469

Sprague Benelux

Excelsiorlaan 21
 Bus 3
 1930 Zaventem
 Belgium
 Tel. 02/721 48 60
 TLX 62897

Sprague Electric (U.K.) Ltd.

Airtech No. 2
 Fleming Way
 Crawley West Sussex RH 102 YQ
 England
 Tel. 011 44-293-51-78-78
 TLX 877813

Sprague France S.A.R.L.

3 Rue Camille Desmoulins
 94230 Cachan
 France
 Tel. (1) 45-47-66-00
 TLX 250697

Sprague Elektronik GMBH

Hainerweg 48
 D-6000 Frankfurt 70
 West Germany
 Tel. 069-60551
 TLX 414008

Sprague Italiana S.p.A.

Via G. DeCastro 4
 20144 Milano
 Italy
 Tel. 02-498-7891
 TLX 332321

Sprague Scandinavia AB

Box 802
 S-191 28 Sollentuna
 Sweden
 Tel. (04) 08-9205 95
 TLX 854 15239

FAR EAST

Sprague World Trade Corp.
 Eastern Branch
 P.O. Box 4289
 Hong Kong
 Tel. 0-263188
 TLX 43395

Sprague Japan K.K.

Shinjuku KB Bldg.
 11-3 Nishi-Shinjuku 6-Chome
 Shinjuku-ku, Tokyo 160
 Japan
 Tel. (03) 348-5221
 TLX J23328

Tecnomic Ltd.

Sprague Korea Branch
 4th Fl., Dayoung Bldg.
 44-1, Yoido-Dong
 Youngdungpo-Ku, Seoul, Korea
 Tel. (2) 783-9784
 TLX 78726186

Sprague World Trade Corp.

Singapore Office
 11th Floor, 450/452 Incheape House
 Alexandra Road
 Singapore 0511
 Tel. 475-1826
 TLX RS 26384

Sprague Taiwan Branch/

Tecnomic, Ltd.
 8/F, 142, Sec. 4
 Chung Hsiao East Road
 Taipei, Taiwan, R.O.C.
 Tel. 771-9582
 TLX 21422

In the construction of the components described, the full intent of the specification will be met. The Sprague Electric Company, however, reserves the right to make, from time to time, such departures from the detail specifications as may be required to permit improvements in the design of its products. Components made under military approvals will be in accordance with the approval requirements. The information included herein is believed to be accurate and reliable. However, the Sprague Electric Company assumes no responsibility for its use; nor for any infringements of patents or other rights of third parties which may result from its use.

2475