



Mini-UHF Series

The MINI-UHF Series are compact, lightweight coaxial connectors used in applications where miniaturization and cost economy are critical factors. Typical applications are cellular phone and low cost LAN.

Electrical Specifications:

Frequency Range:
0-2.0 GHz

Voltage Rating:
AC 335V RMS

Withstanding Voltage:
AC 1000V one minute

Insulation Resistance:
5000 M Ω min at 500VDC

Impedance:
50 Ω nominal

VSWR:
1.25 max. 0 - 2.2 GHz



E191630

*Consult Factory

Methode offers additional products and options, not illustrated in the catalog. Please contact the factory if you require additional assistance to resolve your design needs.



METHODE ELECTRONICS, INC.

North and South America:

Methode Electronics, Inc. Connector Products

1700 Hicks Road • Rolling Meadows, IL 60008 USA

847-392-3500 • Toll Free: 800-323-6864 • Fax: 847-392-9404

Email: info@methode.com • Web: www.methode.com/connector/index.html

Europe:

Methode Electronics Ireland, Ltd.

Unit H, Crossagalla Business Park, Ballysimon Rd. • Limerick, Ireland

+353 (0) 61 401222 • Fax: +353 (0) 61 401942

Email: info@methode.ie • Web: ireland.methode.com/main.html

Far East:

Methode Electronics Far East, Pte. Ltd.

1 Tuas Lane, Jurong Town • Singapore 638610

65-68615444 • Fax: 65-68614777

Email: sales@methode.com.sg • Web: www.methode.com/mefe/index.html




Mini-UHF Series

MMU01


RG58/U RG59/U RG6/U

MINI UHF MALE CRIMP TYPE




MMU05

MINI UHF DOUBLE MALE




MMU01S

MINI UHF MALE PUSH ON CRIMP




MMU06

MINI UHF DOUBLE FEMALE




MMU02

MINI UHF MALE CRIMP TYPE




MMU07

MINI UHF MALE TO BNC FEMALE




MMU03

MINI UHF FEMALE CRIMP TYPE




MMU08

MINI UHF MALE TO N FEMALE




MMU04

MINI UHF FEMALE BULKHEAD



MMU09

MINI UHF MALE TO TNC FEMALE



North and South America:

Methode Electronics, Inc. Connector Products

1700 Hicks Road • Rolling Meadows, IL 60008 USA

847-392-3500 • Toll Free: 800-323-6864 • Fax: 847-392-9404

Email: info@methode.com • Web: www.methode.com/connector/index.html

Europe:

Methode Electronics Ireland, Ltd.

Unit H, Crossagalla Business Park, Ballysimon Rd. • Limerick, Ireland

+353 (0) 61 401222 • Fax: +353 (0) 61 401942

Email: info@methode.ie • Web: ireland.methode.com/main.html

Far East:

Methode Electronics Far East, Pte. Ltd.

1 Tuas Lane, Jurong Town • Singapore 638610

65-68615444 • Fax: 65-68614777


Email: sales@methode.com.sg • Web: www.methode.com/mefe/index.html



Mini-UHF Series


MMU10

MINI UHF MALE TO UHF FEMALE




MMU16

MINI UHF RIGHT ANGLE
MALE TO BNC FEMALE




MMU11

MINI UHF FEMALE TO BNC MALE




MMU17

MINI UHF MALE
TO DOUBLE FEMALE*




MMU12

MINI UHF FEMALE TO N MALE*




MMU18

MINI UHF TRIPLE FEMALE*




MMU14

MINI UHF FEMALE TO UHF MALE*




MMU20

MINI UHF MALE TWIST ON*




MMU15

MINI UHF RIGHT ANGLE
MALE TO FEMALE



MMU21

MINI UHF FEMALE TO TNC FEMALE*



North and South America:

Methode Electronics, Inc. Connector Products

1700 Hicks Road • Rolling Meadows, IL 60008 USA

847-392-3500 • Toll Free: 800-323-6864 • Fax: 847-392-9404

Email: info@methode.com • Web: www.methode.com/connector/index.html

Europe:

Methode Electronics Ireland, Ltd.

Unit H, Crossagalla Business Park, Ballysimon Rd. • Limerick, Ireland

+353 (0) 61 401222 • Fax: +353 (0) 61 401942

Email: info@methode.ie • Web: ireland.methode.com/main.html

Far East:

Methode Electronics Far East, Pte. Ltd.

1 Tuas Lane, Jurong Town • Singapore 638610

65-68615444 • Fax: 65-68614777

Email: sales@methode.com.sg • Web: www.methode.com/mefe/index.html



RF/Microwave/Coax Connectors



F SERIES



TNC SERIES



N SERIES



MINI-UHF SERIES



UHF SERIES



SMA SERIES



RCA SERIES




SMB SERIES



PAL SERIES




MCX SERIES



FME SERIES



MMCX SERIES



BNC SERIES

PART NUMBER LEGEND

MX(X) - XXX - X - XX - XX

IMPEDANCE

- 50 = 50Ω
- 75 = 75Ω
- 95 = 95Ω

CABLE GROUP / MOUNTING STYLE

- 00 = PCB Mount
- 01 = 55U/58/58A/58C/140U/141/141A/142U/223U/303
- 02 = 58 Teflon/58 Thinnet/Belden® 9907
- 03 = 59/59A/59B/62/62AU/62B/62C/210
- 04 = 59 Teflon
- 05 = 174U/188A/316U
- 06 = 179U/187U
- 07 = 8/8A/213/214/11/11A
- 08 = 6/6A/143/212
- 09 = Belden® 8227/89207
- 10 = .141 Semi-Rigid
- 11 = .085/.086 Semi-Rigid
- 12 = Bulkhead Mount
- 13 = Chassis Mount
- 14 = Panel Mount

INSULATOR TYPE

- T = Teflon
- D = Delrin
- PP = Polypropylene

TYPE

001 through 999

SERIES

- B = BNC
- T = TNC
- MU = MINI-UHF
- TN = TWINAX
- SA = SMA
- SB = SMB
- MC = MCX
- MX = MMCX
- F = F
- N = N
- U = UHF
- R = RCA
- MR = MINI-RCA
- FM = FME
- P = PAL TV
- SC = SMC
- 7 = DIN 7/16



North and South America:

Methode Electronics, Inc. Connector Products

1700 Hicks Road • Rolling Meadows, IL 60008 USA

847-392-3500 • Toll Free: 800-323-6864 • Fax: 847-392-9404

Email: info@methode.com • Web: www.methode.com/connector/index.html

Europe:

Methode Electronics Ireland, Ltd.

Unit H, Crossagalla Business Park, Ballysimon Rd. • Limerick, Ireland

+353 (0) 61 401222 • Fax: +353 (0) 61 401942

Email: info@methode.ie • Web: ireland.methode.com/main.html

Far East:

Methode Electronics Far East, Pte. Ltd.

1 Tuas Lane, Jurong Town • Singapore 638610

65-68615444 • Fax: 65-68614777

Email: sales@methode.com.sg • Web: www.methode.com/mefe/index.html