


PART NUMBER	AMPS	VOLTS	FUSE SUB-ASSEMBLY	CATALOG NUMBER	DESCRIPTION	UPC CODE	CE LOGO	CSA LOGO	I.R. REQ'D	UL LISTED 717H MINATURE FUSE LOGO
0375012.M	12	125	375012-010	375012	FUSE 125V SB PT 3AG 12A	079458 09689	YES	YES	10,000A 125V AC	YES
0375015.M	15	125	375015-010	375015	FUSE 125V SB PT 3AG 15A	079458 09690	YES	YES	10,000A 125V AC	YES

LTR	DATE	REVISION	CHK	APD
K	07/12/04	83788B - REVISE TO GMIST SPEC	PJM	
L	07/20/05	84407B-DLT 914-796, 934-033 & 934-027 ADD 934-054 & CHG LABEL & PKG NOTE	PJM	
M	11/30/05	84645B-CHG 32.39 TO 32.72	PJM	




NOTES:

- OUTER CAP & LEAD ASS'Y SHALL WITHSTAND A PULL TEST OF 10 LBS. WITHOUT SEPERATING FROM FUSE CAP.
- MEASURE COLD RESISTANCE PER ES-001038.

PACKAGING NOTES:

- PACK 1000 FUSES IN BOX 580461, SEAL WITH TAPE.
- LABEL WITH LABEL PRINTED AS SHOWN.
- LABEL TO BE APPLIED TO THE END OF THE BOX.



NOTE: LABEL ILLUSTRATION(S) IS FOR REFERENCE ONLY. THE ACTUAL COPY AND REGULATORY MARKINGS WILL VARY BY THE INDIVIDUAL PART NUMBER. SEE CHART. LABEL SIZE: 4.0" X 3.0"

NO	COMPONENT NO	DESCRIPTION	QTY/M	U/M
-	580461	CARTON	1	EAD
2	934-054	CAP & LEAD	2000	EA
1	SEE CHART	FUSE SUB-ASSEMBLY	1000	EA

BILL OF MATERIAL				
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS. DIMENSIONS IN BRACKETS [] ARE INCHES.				
UNLESS OTHERWISE SPECIFIED, DIMENSIONS DO NOT INCLUDE PLATING.				
O	DENOTES CRITICAL CHARACTERISTICS.			
CPK	DENOTES CPK DIMENSIONS, -MINIMUM CPK VALUE			
ST	DENOTES A CHARACTERISTIC THAT PROVIDES AN INDICATION OF PROCESS PERFORMANCE. PROCEDURE FOR MEASUREMENT AND TRACKING TO BE DEFINED IN LITTELFUSE INSPECTION INSTRUCTIONS.			
CP	DENOTES CP DIMENSIONS, -MINIMUM CP VALUE. MUST BE WITHIN THE DIMENSIONAL LIMITATIONS SHOWN ON DRAWING AND INITIALLY LOCATED TO ALLOW FOR MAXIMUM TOOL LIFE.			
COPIES TO		MTRL SPEC		
1	9	18	FINISH	
2	10	19		
3	12	20		
4	13	21	DRW	PJM DATE 07/12/04 SCALE 2:1
5	14	23	CHK	DATE SUPER DR
6	15	33	APPS	DATE FINISH GOOD WT
7	16	43	GRAMS/PIECE	
8	17	53		
TOLERANCE UNLESS OTHERWISE SPECIFIED				
TWO PLACE DEC		± .25 [.01]		FRACTION ±
THREE PLACE DEC		± .100 [.004]		ANGULAR ± 1°
3RD ANGLE PROJECTION		TITLE		
		3AG SLO-BLO FUSE, M-PACKED		

CAD GENERATED DRAWING - NO PENCIL CHANGES ALLOWED