



PRODUCT NO
SEE TABLE



REV	DESCRIPTION	BY	DATE
K			





SHEET NO		ISSUE	CUSTOMER COPY	
1		1	CODE IDENT	
MODEL		DO NOT SCALE	22936	
DRAWING		ORIGIN	DATE	
TOLERANCE UNITS		INCH/MM	9/19/90	
DECIMALS		0.001/0.01/0.1	DATE	
LINEAR		0.001/0.001/0.01	9/19/90	
ANGLES		0.001/0.001/0.01	9/19/90	
FINISH		0.001/0.001/0.01	9/19/90	
SCALE		1/1	9/19/90	
SIZE		0.001/0.001/0.01	9/19/90	
SHEET		2	9/19/90	

FORM 1-100

NOTE: This drawing is the property of and contains proprietary designs of FCI Corporation. It is to be used for the design of the product only and is not to be used for any other purpose without the written consent of FCI Corporation. Reproduction is prohibited.

ON

PRODUCT NO	SFF TABLE
------------	-----------



- 567.

[illegible]

NOTE: This price is the average of two simulated unreplicated designs of the current experiment. No part of the design shown on this page may be used in our new attorney fee action against the American Bar Association.

PRODUCT NO		SIZE		LATCH		PIN		DIM A		DIM B		DIM C		DIM D		DIM E		TERMINAL PLATING		STYLE	
66963-001		2x5		NO		RND		1.330/33.78		.400/10.16		.720/18.29		.105/2.67		1.100/27.94		30u"/.76u Au OVER 50u"/.27u Ni		A	
-002						SQ															
-003						RND															
-004						SQ															
-005						SQ															
-006		2x5				SQ		1.330/33.78		.400/10.16		.720/18.29		.105/2.67		1.100/27.94		30u"/.76u Au OVER 50u"/.27u Ni		A	
-007		2x7				RND		1.530/38.86		.600/15.24		.920/23.37		.105/2.67		1.300/33.02		30u"/.76u Au OVER 50u"/.27u Ni		C	
-008						SQ															
-009						RND															
-010						SQ															
-011						SQ															
-012		2x7				SQ		1.530/38.86		.600/15.24		.920/23.37		.105/2.67		1.300/33.02		30u"/.76u Au OVER 50u"/.27u Ni		C	
-013		2x8				RND		1.630/41.40		.700/17.78		1.020/25.91		.105/2.67		1.400/35.56		30u"/.76u Au OVER 50u"/.27u Ni		D	
-014						SQ															
-015						RND															
-016						SQ															
-017						SQ															
-018		2x8				SQ		1.630/41.40		.700/17.78		1.020/25.91		.105/2.67		1.400/35.56		30u"/.76u Au OVER 50u"/.27u Ni			
-019		2x10				RND		1.830/46.48		.900/22.86		1.220/30.99		.105/2.67		1.600/40.64		30u"/.76u Au OVER 50u"/.27u Ni			
-020						SQ															
-021						RND															
-022						SQ															
-023						SQ															
-024		2x10				SQ		1.830/46.48		.900/22.86		1.220/30.99		.105/2.67		1.600/40.64		30u"/.76u Au OVER 50u"/.27u Ni			
-025		2x13				RND		2.130/54.10		1.200/30.48		1.520/38.61		.105/2.67		1.900/48.26		30u"/.76u Au OVER 50u"/.27u Ni			
-026						SQ															
-027						RND															
-028						SQ															
-029						SQ															
-030		2x13				SQ		2.130/54.10		1.200/30.48		1.520/38.61		.105/2.67		1.900/48.26		30u"/.76u Au OVER 50u"/.27u Ni			
-031		2x17				RND		2.530/64.26		1.600/40.64		1.920/48.77		.105/2.67		2.300/58.42		30u"/.76u Au OVER 50u"/.27u Ni			
-032						SQ															
-033						RND															
-034						SQ															
-035						SQ															
66963-036		2x17		NO		SQ		2.530/64.26		1.600/40.64		1.920/48.77		.105/2.67		2.300/58.42		30u"/.76u Au OVER 50u"/.27u Ni		D	

THIS DRAWING IS THE PROPERTY OF FCI AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM FCI. THIS DRAWING IS THE PROPERTY OF FCI AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM FCI.

REVISIONS	REV	DESCRIPTION	BY	DATE
	K			

ORDER	CODE	1000
COPY	22026	

DATE	9/1/90
DATE	9/1/90
DATE	9/1/90

TITLE	HEADER OUTLINE
SCALE	1/1
SIZE	D
NO	66963
SHEET	4

PRODUCT NO	SIZE	LATCH	PIN	DIM A	DIM B	DIM C	DIM D : .010	DIM E	TERMINAL PLATING	STYLE
66963-037	2x20	NO	RND	2.830/71.88	1.900/48.26	2.220/56.39	.105/ 2.67	2.600/66.04	30u"/.76u Au OVER 50u"/.1.27u Ni	D
-038			SD				.105/ 2.67		150u"/.3.81u TIN	
-039			RND				.150/ 3.81		30u"/.76u Au OVER 50u"/.1.27u Ni	
-040			SD				.150/ 3.81		150u"/.3.81u TIN	
-041			SD				.675/17.15		30u"/.76u Au OVER 50u"/.1.27u Ni	
-042	2x20		SD	2.830/71.88	1.900/48.26	2.220/56.39	.675/17.15	2.600/66.04	150u"/.3.81u TIN	
-043	2x25		RND	3.330/84.58	2.400/60.96	2.720/69.09	.105/ 2.67	3.100/78.74	30u"/.76u Au OVER 50u"/.1.27u Ni	
-044			SD				.105/ 2.67		150u"/.3.81u TIN	
-045			RND				.150/ 3.81		30u"/.76u Au OVER 50u"/.1.27u Ni	
-046			SD				.675/17.15		150u"/.3.81u TIN	
-047			SD				.675/17.15		30u"/.76u Au OVER 50u"/.1.27u Ni	
-048	2x25	NO	SD	3.330/84.58	2.400/60.96	2.720/69.09	.675/17.15	3.100/78.74	150u"/.3.81u TIN	D
-049	2x5	STD	RND	1.330/33.78	.400/10.16	.720/18.29	.105/ 2.67	1.100/27.94	30u"/.76u Au OVER 50u"/.1.27u Ni	A
-050			SD				.105/ 2.67		150u"/.3.81u TIN	
-051			RND				.150/ 3.81		30u"/.76u Au OVER 50u"/.1.27u Ni	
-052			SD				.675/17.15		150u"/.3.81u TIN	
-053			SD				.675/17.15		30u"/.76u Au OVER 50u"/.1.27u Ni	A
-054	2x5		SD	1.330/33.78	.400/10.16	.720/18.29	.675/17.15	1.100/27.94	150u"/.3.81u TIN	C
-055	2x7		RND	1.530/38.86	.600/15.24	.920/23.37	.105/ 2.67	1.300/33.02	30u"/.76u Au OVER 50u"/.1.27u Ni	
-056			SD				.105/ 2.67		150u"/.3.81u TIN	
-057			RND				.150/ 3.81		30u"/.76u Au OVER 50u"/.1.27u Ni	
-058			SD				.675/17.15		150u"/.3.81u TIN	
-059			SD				.675/17.15		30u"/.76u Au OVER 50u"/.1.27u Ni	C
-060	2x7		SD	1.530/38.86	.600/15.24	.920/23.37	.105/ 2.67	1.300/33.02	150u"/.3.81u TIN	D
-061	2x8		RND	1.630/41.40	.700/17.78	1.020/25.91	.105/ 2.67	1.400/35.56	30u"/.76u Au OVER 50u"/.1.27u Ni	
-062			SD				.105/ 2.67		150u"/.3.81u TIN	
-063			RND				.150/ 3.81		30u"/.76u Au OVER 50u"/.1.27u Ni	
-064			SD				.675/17.15		150u"/.3.81u TIN	
-065			SD				.675/17.15		30u"/.76u Au OVER 50u"/.1.27u Ni	
-066	2x8		SD	1.630/41.40	.700/17.78	1.020/25.91	.675/17.15	1.400/35.56	150u"/.3.81u TIN	
-067	2x10		RND	1.830/46.48	.900/22.86	1.220/30.99	.105/ 2.67	1.600/40.64	30u"/.76u Au OVER 50u"/.1.27u Ni	
-068			SD				.105/ 2.67		150u"/.3.81u TIN	
-069			RND				.150/ 3.81		30u"/.76u Au OVER 50u"/.1.27u Ni	
-070			SD				.675/17.15		150u"/.3.81u TIN	
-071			SD				.675/17.15		30u"/.76u Au OVER 50u"/.1.27u Ni	
66963-072	2x10	STD	SD	1.830/46.48	.900/22.86	1.220/30.99	.675/17.15	1.600/40.64	150u"/.3.81u TIN	D

CUSTOMER		DATE	
CODE	10001	DATE	9/14/00
CODE	22034	DATE	9/14/00
TITLE		DRAWN BY	
SEA-HORSE VERTICAL		M. SMITH	
SHEET 5		DATE	
SHEET 5		DATE	

REVISIONS	BY	DATE
K		

PRODUCT NO	SIZE	LATCH NOTE	PIN SHAPE	DTM A	DTM B	DTM C	DTM D ±.25	DTM E	TERMINAL PLATING	STYLE
66963-073	2x13	STD	RND	2.130/94.10	1.200/30.48	1.520/39.61	1.05/ 2.67	1.900/48.26	30μ"/.76μ Au OVER 50μ"/.27μ Ni	0
-074			SO				1.05/ 2.67		150μ"/.3.81μ TIN	
-075			RND				1.50/ 3.81		30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-076			SO				1.50/ 3.81		150μ"/.3.81μ TIN	
-077			SO				6.75/17.15		30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-078	2x13		SO	2.130/94.10	1.200/30.48	1.520/39.61	6.75/17.15	1.900/48.26	150μ"/.3.81μ TIN	
-079	2x17		RND	2.530/64.26	1.600/40.64	1.920/48.77	1.05/ 2.67	2.300/58.42	30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-080			SO				1.05/ 2.67		150μ"/.3.81μ TIN	
-081			RND				1.50/ 3.81		30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-082			SO				1.50/ 3.81		150μ"/.3.81μ TIN	
-083			SO				6.75/17.15		30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-084	2x17		SO	2.530/64.26	1.600/40.64	1.920/48.77	6.75/17.15	2.300/58.42	150μ"/.3.81μ TIN	
-085	2x20		RND	2.830/71.88	1.900/48.26	2.220/56.39	1.05/ 2.67	2.600/66.04	30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-086			SO				1.05/ 2.67		150μ"/.3.81μ TIN	
-087			RND				1.50/ 3.81		30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-088			SO				1.50/ 3.81		150μ"/.3.81μ TIN	
-089			SO				6.75/17.15		30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-090	2x20		SO	2.830/71.88	1.900/48.26	2.220/56.39	6.75/17.15	2.600/66.04	150μ"/.3.81μ TIN	
-091	2x25		RND	3.330/84.58	2.400/60.96	2.720/69.09	1.05/ 2.67	3.100/78.74	30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-092			SO				1.05/ 2.67		150μ"/.3.81μ TIN	
-093			RND				1.50/ 3.81		30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-094			SO				1.50/ 3.81		150μ"/.3.81μ TIN	
-095			SO				6.75/17.15		30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-096	2x25	STD	SO	3.330/84.58	2.400/60.96	2.720/69.09	6.75/17.15	3.100/78.74	150μ"/.3.81μ TIN	
-097	2x30	NO	RND	3.830/97.28	2.900/73.66	3.220/81.79	1.05/ 2.67	3.600/91.44	30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-098			SO				1.05/ 2.67		150μ"/.3.81μ TIN	
-099			RND				1.50/ 3.81		30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-100			SO				1.50/ 3.81		150μ"/.3.81μ TIN	
-101			SO				6.75/17.15		30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-102		NO	SO				1.05/ 2.67		150μ"/.3.81μ TIN	
-103		STD	RND				1.05/ 2.67		30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-104			SO				1.50/ 3.81		150μ"/.3.81μ TIN	
-105			RND				1.50/ 3.81		30μ"/.76μ Au OVER 50μ"/.27μ Ni	
-106			SO				1.50/ 3.81		150μ"/.3.81μ TIN	
-107			SO				6.75/17.15		30μ"/.76μ Au OVER 50μ"/.27μ Ni	
66963-108	2x30	STD	SO	3.830/97.28	2.900/73.66	3.220/81.79	6.75/17.15	3.600/91.44	150μ"/.3.81μ TIN	0

SHEET NO. 1		ISSUE NO. 1		DO NOT SCALE		DRAWING NO. 000.01.01.3		LINE NO. 0000.0000.0000.001		FINISH		DATE 9/19/90		BY M. SHIVE		CHECKED M. SHIVE		DATE 9/19/90		SCALE 1/1" = 1"		SHEET 6	
MODEL		DO NOT SCALE		DRAWING NO. 000.01.01.3		LINE NO. 0000.0000.0000.001		FINISH		DATE 9/19/90		BY M. SHIVE		CHECKED M. SHIVE		DATE 9/19/90		SCALE 1/1" = 1"		SHEET 6			

REV	DESCRIPTION	BY	DATE
K			

CUSTOMER COPY		DATE 9/19/90		CODE IDENT 22536	
TITLE		HEADER OUTLINE		SET-UP/RESC. VERTICAL	
SCALE 1/1" = 1"		SHEET 6			

REVISIONS										REV		DESCRIPTION		BY		DATE	
										K							

PRODUCT NO	SIZE	LATCH NOTE	PIN SHAPE	DIM A	DIM B	DIM C	DIM D .010	DIM E	TERMINAL PLATING	STYLE
66963-217	2x30	LP	SD	3.830/97.28	2.900/73.66	3.220/81.79	.675/17.15	3.600/91.44	30u"/.76u Au OVER 50u"/.27u Ni	D
-218	2x30			3.830/97.28	2.900/73.66	3.220/81.79	.675/17.15	3.600/91.44	150u"/.73.81u Ni	D
-219	2x5			1.330/33.78	.400/10.16	.720/18.29	.105/ 2.67	1.100/27.94	30u"/.76u Au OVER 50u"/.27u Ni	A
-220	2x7			1.530/38.86	.600/15.24	.920/23.37		1.300/33.02		C
-221	2x8			1.630/41.40	.700/17.78	1.020/25.91		1.400/35.56		D
-222	2x10			1.830/46.48	.900/22.86	1.220/30.99		1.600/40.64		
-223	2x13			2.130/54.10	1.200/30.48	1.520/38.61		1.900/48.26		
-224	2x17			2.530/64.26	1.600/40.64	1.920/48.77		2.300/58.42		
-225	2x20			2.830/71.88	1.900/48.26	2.220/56.39		2.600/66.04		
-226	2x25			3.330/84.58	2.400/60.96	2.720/69.09		3.100/78.74		
-227	2x30			3.830/97.28	2.900/73.66	3.220/81.79	.105/ 2.67	3.600/91.44		
-228	2x20		SD	2.830/71.88	1.900/48.26	2.220/56.39	.150/ 3.81	2.600/66.04	30u"/.76u Au OVER 50u"/.27u Ni	D
-229	2x5		RND	1.330/33.78	.400/10.16	.720/18.29		1.100/27.94	30u"/.76u GXT/GOLD FLASH	A
-230	2x7			1.530/38.86	.600/15.24	.920/23.37		1.300/33.02		C
-231	2x8			1.630/41.40	.700/17.78	1.020/25.91		1.400/35.56		D
-232	2x10			1.830/46.48	.900/22.86	1.220/30.99		1.600/40.64		
-233	2x13			2.130/54.10	1.200/30.48	1.520/38.61		1.900/48.26		
-234	2x17			2.530/64.26	1.600/40.64	1.920/48.77		2.300/58.42		
-235	2x20			2.830/71.88	1.900/48.26	2.220/56.39		2.600/66.04		
-236	2x25			3.330/84.58	2.400/60.96	2.720/69.09		3.100/78.74		
-237	2x30		RND	3.830/97.28	2.900/73.66	3.220/81.79	.150/ 3.81	3.600/91.44	30u"/.76u GXT/GOLD FLASH	D
-238	2x5		SD	1.330/33.78	.400/10.16	.720/18.29	.675/17.15	1.100/27.94	15u"/.38u MIN Au OVER 50u"/.27u Ni	A
-239	2x7			1.530/38.86	.600/15.24	.920/23.37		1.300/33.02		C
-240	2x8			1.630/41.40	.700/17.78	1.020/25.91		1.400/35.56		D
-241	2x10			1.830/46.48	.900/22.86	1.220/30.99		1.600/40.64		
-242	2x13			2.130/54.10	1.200/30.48	1.520/38.61		1.900/48.26		
-243	2x17			2.530/64.26	1.600/40.64	1.920/48.77		2.300/58.42		
-244	2x20			2.830/71.88	1.900/48.26	2.220/56.39		2.600/66.04		
-245	2x25			3.330/84.58	2.400/60.96	2.720/69.09		3.100/78.74		
-246	2x30		LP	3.830/97.28	2.900/73.66	3.220/81.79	.675/17.15	3.600/91.44	15u"/.38u MIN Au OVER 50u"/.27u Ni	D
-247	2x5		RND	1.330/33.78	.400/10.16	.720/18.29	.105/ 2.67	1.100/27.94	30u"/.76u GXT/GOLD FLASH	A
-248	2x7			1.530/38.86	.600/15.24	.920/23.37		1.300/33.02		C
-249	2x8			1.630/41.40	.700/17.78	1.020/25.91		1.400/35.56		D
-250	2x10			1.830/46.48	.900/22.86	1.220/30.99		1.600/40.64		
-251	2x13			2.130/54.10	1.200/30.48	1.520/38.61		1.900/48.26		
66963-252	2x17		RND	2.530/64.26	1.600/40.64	1.920/48.77	.105/ 2.67	2.300/58.42	30u"/.76u GXT/GOLD FLASH	D

CUSTOMER		DATE		DATE		DATE		DATE	
COPY		22556		9/19/90		9/19/90		9/19/90	
CODE IDENT		22556		9/19/90		9/19/90		9/19/90	
TITLE		SEA-HORSE VERTICAL		SEA-HORSE VERTICAL		SEA-HORSE VERTICAL		SEA-HORSE VERTICAL	
SHEET NO		66963		66963		66963		66963	
SHEET 10		SHEET 10		SHEET 10		SHEET 10		SHEET 10	

F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F&C		F&C		F&C		F&C		F&C	
F									

SHEET 1 OF 1		ISSUE 1		DATE 9/19/90	
MODEL 1		DO NOT SCALE DRAWING		DATE 9/19/90	
TOLERANCE .0005		FINISH 1		DATE 9/19/90	
SHEETS REQUIRED 1		ANCHES 0" - 2"		DATE 9/19/90	
TITLE HEADER, QUICKIE SEA-HORSE, VERTICAL		CUST. 66963		SHEET 10	
P&H		www.fcdconnect.com		DATE 9/19/90	

Printed: Apr 12, 2011.

Printed: Apr 12, 2011.

REVISIONS		REV	DESCRIPTION	BY	DATE
		1			

PRODUCT NO	SIZE	LATCH	PIN	DIM A	DIM B	DIM C	DIM D: .010	DIM E	TERMINAL PLATING	STYLE
66963-325	2x30	STD	RND	2.830/71.88	1.900/48.26	2.220/56.39	.105/ 2.67	2.600/66.04	15u"/.38u Au OVER 50u"/1.27u Ni	D
-326	2x25			3.330/84.58	2.400/60.96	2.720/69.09	.105/ 2.67	3.100/78.74		D
-327	2x30			3.830/97.28	2.900/73.66	3.220/81.79	.105/ 2.67	3.600/91.44		D
-328	2x5			1.330/33.78	.400/10.16	.720/18.29	.150/ 3.81	1.100/27.94		A
-329	2x7			1.530/38.86	.600/15.24	.920/23.37		1.300/33.02		C
-330	2x8			1.630/41.40	.700/17.78	1.020/25.91		1.400/35.56		D
-331	2x10			1.830/46.48	.900/22.86	1.220/30.99		1.600/40.64		
-332	2x13			2.130/54.10	1.200/30.48	1.520/38.61		1.900/48.26		
-333	2x17			2.530/64.26	1.600/40.64	1.920/48.77		2.300/58.42		
-334	2x20			2.830/71.88	1.900/48.26	2.220/56.39		2.600/66.04		
-335	2x25			3.330/84.58	2.400/60.96	2.720/69.09		3.100/78.74		D
-336	2x30	STD		3.830/97.28	2.900/73.66	3.220/81.79	.150/ 3.81	3.600/91.44		A
-337	2x5	LP		1.330/33.78	.400/10.16	.720/18.29	.105/ 2.67	1.100/27.94		C
-338	2x7			1.530/38.86	.600/15.24	.920/23.37		1.300/33.02		D
-339	2x8			1.630/41.40	.700/17.78	1.020/25.91		1.400/35.56		
-340	2x10			1.830/46.48	.900/22.86	1.220/30.99		1.600/40.64		
-341	2x13			2.130/54.10	1.200/30.48	1.520/38.61		1.900/48.26		
-342	2x17			2.530/64.26	1.600/40.64	1.920/48.77		2.300/58.42		
-343	2x20			2.830/71.88	1.900/48.26	2.220/56.39		2.600/66.04		D
-344	2x25			3.330/84.58	2.400/60.96	2.720/69.09	.105/ 2.67	3.600/91.44		A
-345	2x30			3.830/97.28	2.900/73.66	3.220/81.79	.150/ 3.81	3.100/78.74		C
-346	2x5			1.330/33.78	.400/10.16	.720/18.29	.105/ 2.67	1.100/27.94		D
-347	2x7			1.530/38.86	.600/15.24	.920/23.37		1.300/33.02		
-348	2x8			1.630/41.40	.700/17.78	1.020/25.91		1.400/35.56		
-349	2x10			1.830/46.48	.900/22.86	1.220/30.99		1.600/40.64		
-350	2x13			2.130/54.10	1.200/30.48	1.520/38.61		1.900/48.26		
-351	2x17			2.530/64.26	1.600/40.64	1.920/48.77		2.300/58.42		
-352	2x20			2.830/71.88	1.900/48.26	2.220/56.39		2.600/66.04		
-353	2x25			3.330/84.58	2.400/60.96	2.720/69.09		3.100/78.74		D
-354	2x30	LP		3.830/97.28	2.900/73.66	3.220/81.79	.150/ 3.81	3.600/91.44		B
-355	2x5	NO		1.330/33.78	.400/10.16	.720/18.29	.105/ 2.67	1.100/27.94		
-356		NO							15u"/.38u Au OVER 50u"/1.27u Ni	
-357		RND							30u"/.76u GXT/GOLD FLASH	
-358		NO	SO						150u"/3.81u TIN	
-359		STD	RND							
66963-360	2x5	STD	RND	1.330/33.78	.400/10.16	.720/18.29	.105/ 2.67	1.100/27.94	15u"/.38u Au OVER 50u"/1.27u Ni	B

CUSTOMER	DATE	CODE IDENT	22556
CPY <td>9/19/90<td></td><td></td></td>	9/19/90 <td></td> <td></td>		

TITLE		DATE	DATE	DATE
HEADER, QUICKIE		9/19/90	9/19/90	9/19/90
SEA-HORSE, VERTICAL				
SCALE 1/16" = 1"				
SHEET 13				

www.cicconnect.com	
F&C	

FORM 1-NAME KEY 12/02