






mat'l. code NOTES 1&2				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family CARD CONN							
litr		ecn no		dr		date		tolerances unless otherwise specified				title					
E		v23244		MRC		9/30/92		angles linear		.XX±.01/.X±.3		INCH/MM 		SEL. LOADED 15μ Au VERTICAL CARD CONNECTOR			
F		V70794		LSS		10/30/97				.XXX±.0005/.XX±.13							
G		M05-0216		ERE		10/11/05				.XXXX.0020/.XXX±.051							
H		M06-0210		MHT		6/03/06		dr		J.W. BAIR		10/3/88		dwg no sheet 1 of 3 size A3			
								enrg		W.NORTHEY		9/30/92					
								chr		C.GINGRICH		9/30/92					
								appd		W.NORTHEY		9/30/92		type Product Customer Drawing			
sheet index		revision sheet		H		H		H									
				1		2		3									
4						5											



FCIconnect.com

Copyright FCI



RECOMMENDED HOLE PATTERN
SCALE 5/1

NOTES:

- ① HOUSING MATERIAL: FILLED POLYESTER,
FLAME RETARDANT PER UL 94V-0.
COLOR : BLACK.
- ② TERMINAL MATERIAL AND PLATING:
BODY: BRASS
SPRING: Be-Cu, HEAT TREATED
BODY PLATING: GOLD FLASH, WITH 15u"/0.38u Au OVER
50u"/1.27u Ni IN CONTACT AREA.
SPRING PLATING: Au FLASH
3. MARK FCI PART NUMBER AND DATE CODE LEGIBLE
ON TUBE LABEL.
4. APPLICATION INFORMATION:
A. RECOMMENDED MOUNTING HOLE PATTERN
IS SHOWN IN FIG. "A"
B. ALL MATING PINS TO BE .025/.64 SQ
ON TRUE CENTER OF GIVEN TERMINAL
SPACING WITHIN .015/.38.
C. SUGGESTED MATING PIN LENGTH
.210±.020/5.33±.51.
- ⑤ ADD "LF" SUFFIX AT THE END OF PART NUMBER
FOR LEAD FREE OPTION.
- ⑥ THESE PRODUCTS MEET EUROPEAN UNION DIRECTIVES AND
OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
7. THIS PART WILL WITHSTAND EXPOSURE TO 260°C PEAK
TEMPERATURE FOR 20 SECONDS IN WAVE SOLDER, INFRA-RED
OR VAPOR PHASE SOLDER PROCESS.

mat'l. code				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 	product family CARD CONN
ltr	ecn	no	dr	date	tolerances unless otherwise specified	INCH/MM scale 4:1 	title
H					angles linear .XX±.01/.X±.3		SEL. LOADED 15u Au
					0'±2' .XXX±.0.005/.XX±.13		VERTICAL CARD CONNECTOR
					.XXXX±.0020/.XXX±.051		dwg no sheet 2 of 3 size
			dr	J.W. BAIR	10/3/88		68058 A3
			enr	W.NORTHEY	9/30/92		
			chr	C.GINGRICH	9/30/92		
			appd	W.NORTHEY	9/30/92		
sheet index	revision sheet						type Product Customer Drawing

form: A3



FCIconnect.com

Copyright FCI

form: A3

PRODUCT NO	SIZE	DIM "A"	DIM "B"	UNLOADED POSITIONS	LEAD FREE OPTION
68058-001	2 X 24	2.300/58.42	2.400/60.96	1,2,3,4,45,46,47,48	NOTE 5,6
68058-002	2 X 30	2.900/73.66	3.000/76.20	1,2,3,4,57,58,59,60	
68058-003	2 X 19	1.800/45.72	1.900/48.26	1,2,3,4,35,36,37,38	
68058-004	2 X 28	2.700/68.58	2.800/71.12	1,2,3,4,53,54,55,56	
68058-005	2 X 31	3.000/76.20	3.100/78.74	1,2,3,4,59,60,61,62	
68058-006	2 X 27	2.600/66.04	2.700/68.58	1,2,24,25,26,27	
68058-007	2 X 15	1.400/35.56	1.500/38.10	5,6	

mat'l. code					surface ☒ ISO 1302		tolerance ISO 406 ISO 1101		product family CARD CONN		
ltr	ecn	no	dr	date	tolerances unless otherwise specified				title SEL. LOADED 15μ Au VERTICAL CARD CONNECTOR		
H					angles	linear	INCH/MM				
							.XX±.01/.X±3 .XXX±0.005/.XXX±.13 .XXXX±.0020/.XXX±.051	scale 4:1	dwg no sheet3 of 3 size 68058 A3		
					0°±2'						
					dr	J.W. BAIR	10/3/88				
					engr	W.NORTHEY	9/30/92		type Product Customer Drawing		
					chr	C.GINGRICH	9/30/92				
					appd	W.NORTHEY	9/30/92				
sheet index		revision sheet									