



	8			1	7	1		6	1	9		;		4	3	1	Ī	2		1	1	
Γ			NO. NO.		<u> </u>	D		40, 130			*0.050		PINS R	MOVED	CUSTOMER	ĺ		*			PE/131098	
	PRODUCT NO	NO. OF PO:	OF S.PIN	l c	±0.130 ±.005	SPAC	E	F 10	130	c *0.130	H *0.	10	ROW	LOCATION	PART NUMBER					≥ <u>€</u> /	DTSCRIPTION B	BY DATE
	65931-001	8			10.97/.432	3	7.62/.300	1.68	·.066	-	3.30/	. 130			713W92120							
-	-002	В	8	1	10.97/.432	3	7.62/.300	1.63	7.066	-	5.08/	. 200	-	•	713W06120	<u> </u>				1 1		l i
-	-003	10	10) 1	13.51/.532	4	10.16/.400	4. 22	·. 166	-	3. 30/	. 130	-	•	713W02220					i		
D -	-004	10	10) 1	13.51/.532	4	10.16/.400	4. 22.	·. 166	-	5.08/	. 200	-	-	713W06220							
Ĭ	-005	20	20) 2	26. 21/1. 032	9	22.86/.900	1.68	/.066	19. 46/. 766	3. 30/	. 130	•	•	713W02320	1				ĺ		
ľ	-006	20	20) 2	26. 21/1. 032	9	22.86/.900			19. 46/. 766	5.08/	. 200	-		713W06320							
-	-007	26	26	5 3	33.83/1.332	12	30.48/1.200	i		27.08/1.066	3. 30/	. 130	-	•	713W02420							
-	-008	26	26	3	33, 83/1, 332	12	30.48/1.200			27.08/1.066	5.08/	. 200	-		713W06420	1				j		
-	-009	30	30) 3	38.91/1.532	14	35.56/1.400			32. 16/1. 265	3. 30/	. 130	-	•	713W02520	1				ł		
+	-010	30	-	-	38, 91/1, 532	14	35.56/1.400			32. 16/1. 266	5.08/	. 200	1 -	-	713W06520	1						
-	-011	38		_	49.07/1.932	18	45.72/1.800			42. 32/1.666	3. 30/	. 130	-		713W02620	†						14.0
	-012	38	+-	-i-	49.07/1.932	18	45, 72/1.800			42, 32/1, 666	5.08/		-		713W06620	1						
	-013	40			51.61/2.032	19	48, 26/1, 900			44.86/1.766	3. 30/		+	•	713W02720	1						
	-013	40	_	_	51.61/2.032	19	48. 26/1. 900			44.86/1.766	5. 08/				713W06720	1						į
-		+		-	64. 31/2. 532	24	60. 96/2. 400			57. 56/2. 266	3. 30/			-	713W02820							!
C -	-015	50		-			60. 96/2. 400		 -	57. 56/2. 266	5. 08/				713W06820	+						
-	-016	50			64. 31/2. 532	24		ļ		85. 50/3. 366	3. 30/			-	713W02920	1						i
	-017	72	+-	-	92. 25/3. 632	35	88.90/3.500		<u> </u>						713W06920	+						i
	-018	72			92. 25/3. 632	35	88.90/3.500		/.066	85, 50/3, 366	5.08/		<u> </u>			4						
-	-019	14	-		18.59/.732	6	15. 24/. 600		/.266	•	3.30/	. 130		3	713W07820	4						
	-020	10			13.51/.532	4	10. 16/. 400		/. 166	-			В	3	713W07920	-						
	-021	50	49	9 6	64. 31/2. 532	24	60.96/2.400	1.68	/.066	57. 36/2. 266			В	23	713W08C20	4						
	-022	20	19	9 2	26.21/1.032	9	22.86/.900			19.46/.766			B	5	713W08120							į
-	-023	20	19	9 2	26.21/1.032	9	22.86/.900			19.46/.766			В	6	713W0822G	4						
	-024	30	29	9 3	38.91/1.532	14	35.56/1.400			32.16/1.266			Α .	1	713W08320							
	-025	40	39	9 2	26.21/2.032	19	48. 26/1.900			44.86/1.766			Α .	20	713W08420							ļ
в	-026	40	39	9 2	26. 21/2.032	19	48.26/1.900	1.68	/.066	44.86/1.766			A	17	713W08520]						
ľ	-027	14	14	÷ 1	18.59/.732	6	15. 24/. 600	6. 76	/. 266	-			•	-	713W07020							
ľ	-028	40	39	9 2	26. 21/2. 032	19	48. 26/1.900	1.68	/.066	44.86/1.766			A	1	713W09320							ļ
-	-029	40	39	9 2	26. 21/2. 032	19	48. 26/1.900			44.86/1.766			A	10	713W09420							ļ
	-030	20	19	9 2	26.21/1.032	9	22.86/.900			19.46/.766			A	5	713W09520	<u>]</u> .						
	-031	30	29	, :	38.91/1.532	14	35.56/1.400		•	32. 16/1. 266			٨	15	7:3%09620							
	-032	50	3 49	9 6	64. 31/2. 532	24	60.96/2.400	1.68	/.066	57. 56/2. 266			A	3	713W09720						* • · · · ·	
-	-033	10		\rightarrow	13.51/.532	4	10. 16/. 400	4. 22	/. 166	-			A	4	713W07120						CONTROLLE	n l
	-034	10	-		13.51/.532	4	10. 16/. 400	 	/. 166				В	3	713W07220	7						
	65931-035	26			33. 83/1. 332	12	30.48/1.200	1.68	/.056	27.08/1.066	3. 30/	'. 130	1 A	13	713W07320						DOCUMENT	
			1 -					1 30		1 1 1 1 1 1 1						<u>.</u>			_		- 4 4 4 111 711 1	
																•				CUSTOMER	DU PONT	
^												Γ	SHEET [38UE	ППП			TITE			CODE IDENT	CONNECTOR	OUPOND
					•	-							SHEET ISSUE INDEX SH NO 1	ДПП			MATL	DR	$\Box \Box$	22526 DATE	SYSTEMS	
												ŀ	30. 31. 255	DO NOT SO	CALE TOLERANCE OTHERWISE		Innit.	CHK	LINN	3/27/95	TITLE	
														•=	LINEAR	0.00=0.25/.00+.01 0.000=0.13/.000+.005	FINISH	FNCD			STRAIGHT HEADER ROUND WIRE RECEP	FOR TACLE
												ŀ	TABULATION YES	THERD MIGLE PRO	0.	.0000 40.051/.0000 4.0020]	Web.	· d	4/9/9:	SCALE SIZE DWG NO	CAD
													SHEETS REQUIRED NO	INCH		ANGLES 12 "0"	-	100	waring	4/4/75"		ET 3
															An east of the	the property of and extending propriet a design grown on this print tay be us		and the written		of cores; 100	TOTAL Green HTLL. PA.	

PDM: Rev:M

STATUS: Released Printed: Oct 18, 2002

