



PCB Connector

straight PCB plug



SUHNER TYPE	Ident. no.	Mounting hole	Weight	Notes
81 MMCX-50-0-1	646298	ML 44	0.25 g / .009 oz.	2.54 mm grid / .100 inches grid



Mounting hole ML 44:



MMCX-Jacks

Cable jacks for flexible cables

straight jacks
SUHNER full crimp





SUHNER TYPE	Ident. no.	Suitable cables	Crimp size	Weight	Assembly instruction
21 MMCX-50-1-1c	645288	RG 178 B/U RG 196 A/U	0.75 / 2.67 .030 / .105	0.5 g / .018 oz.	9169
21 MMCX-50-1-2c	645289	K 01152-7	0.75 / 2.67 .030 / .105	0.5 g / .018 oz.	9169

straight bulkhead jacks

SUHNER full crimp

Mounting hole ML 68





SUHNER TYPE	Ident. no.	Suitable cables	Crimp size	Weight	Assembly instruction
24 MMCX-50-1-1c	645952	RG 178 B/U RG 196 A/U	0.75 / 2.67 .030 / .105	0.6 g / .021 oz.	9169
24 MMCX-50-1-2c	645953	K 01152-7	0.75 / 2.67 .030 / .105	0.6 g / .021 oz.	9169

panel thickness 2.5 mm max.

Cable jacks for semi-rigid cables



straight jack
cable entry soldered
inner conductor crimped



SUHNER TYPE	Ident. no.	Suitable cables	Crimp size	Weight	Assembly instruction
21 MMCX-50-2-1c	645290	EZ 86 (RG 405/U)	cavity 0.75 / .030	0.5 g / .018 oz.	9170

straight bulkhead jacks

cable entry soldered
inner conductor crimped




SUHNER TYPE	Ident. no.	Suitable cables	Crimp size	Weight	Assembly instruction
24 MMCX-50-2-1c	645954	EZ 86 (RG 405/U)	cavity 0.75 / .030	0.6 g / .021 oz.	9170

panel thickness 2.5 mm max.

Receptacles with Solder Ends

receptacle, female


bulkhead mounted



SUHNER TYPE	Ident. no.	Mounting hole	Weight	Notes
22 MMCX-50-0-1	645951	ML 68	0.45 g / .016 oz.	panel thickness 2.5 mm / .100 inches max.

right angle receptacle, female


bulkhead mounted



SUHNER TYPE	Ident. no.	Mounting hole	Weight	Notes
27 MMCX-50-0-1	645494	ML 68	0.85 g / .030 oz.	panel thickness 2.5 mm / .100 inches max.



PCB Jacks

straight PCB jack



	Ident. no.	Mounting hole	Weight	Notes
	645958	ML 44, see page 9	0.25 g / .009 oz.	2.54 mm grid / .100 inches grid



right angle PCB jack



	Ident. no.	Mounting hole	Weight	Notes
	645968	ML 44, see page 9	0.45 g / .016 oz.	2.54 mm grid / .100 inches grid

Within-Series Adaptor

straight adaptor
jack to jack




	Ident. no.	Weight
	645960	2.1 g / .074 oz.

Assembly Tools

Combination tool


for cap mounting of 16 MMCX
connectors and decoupling



	Ident. no.	Suitable for crimp tool:
	645 861	16 MMCX-50-1-1c, 16 MMCX-50-1-2c, 16 MMCX-50-2-1c
	648 614	all 11 MMCX- and 16 MMCX- connectors

Crimping tools for crimp assembly of cable connectors

interchangeable inserts



SUHNER TYPE	Ident. no.	Size	Suitable for Crimp size:
76 Z-0-0-26	645 880	0.75/2.67 .030/.105	large crimp tool (75 Z-0-0-1) and table press (75 Z-0-0-2)
76 Z-0-2-53	645 337	0.75/2.67 .030/.105	small crimp tool (75 Z-0-0-50)

Adaptors

SUHNER TYPE

31 BNC-MMCX-50-1

BNC jack

MMCX jack

Weight

6.5 g / .23 oz.

Ident. no.

645963

SUHNER TYPE

31 MMCX-SMA-50-1

MMCX jack

SMA jack

Weight

5.7 g / .20 oz.

Ident. no.

645961

SUHNER TYPE

32 BNC-MMCX-50-1

BNC plug

MMCX plug

Weight 1

11.7 g / .41 oz.

Ident. no.

645959

SUHNER TYPE

32 MMCX-SMA-50-1

MMCX plug

SMA plug

Weight

6.3 g / .22 oz.

Ident. no.

645967

SUHNER TYPE

33 BNC-MMCX-50-1

BNC plug

MMCX jack

Weight

11.7 g / .41 oz.

Ident. no.

645964

SUHNER TYPE

33 MMCX-BNC-50-1

MMCX plug

BNC jack

Weight

6.7 g / .24 oz.

Ident. no.

645966

SUHNER TYPE

33 SMA-MMCX-50-1

SMA plug

MMCX jack

Weight

6.4 g / .23 oz.

Ident. no.

645969

SUHNER TYPE

33 MMCX-SMA-50-1

MMCX plug

SMA jack

Weight

5.0 g / .18 oz.

Ident. no.

645970