
ACPF-7624

Wi-Fi Bandpass Filter

Product Brief





Description

The Avago ACPF-7624 is a chip scale bandpass filter designed for use in mobile Wi-Fi Band applications (2402.5 MHz to 2481.5 MHz), which require high attenuation of adjacent spectrum (for example, LTE bands 7, 38, 40, and 41) to meet coexistence requirements.

The ACPF-7624 is designed with Avago Technologies' innovative film bulk acoustic resonator (FBAR) technology, which makes possible ultra-small, high-Q filters at a fraction of their usual size.

The ACPF-7624 also utilizes Avago Technologies' advanced microcap bonded-wafer technology. This chip scale miniaturization process results in a package size of only 0.71 mm \times 0.92 mm and maximum height of 0.25 mm, making the ACPF-7624 smaller than a 0402-size SMT component.


The ACPF-7624 is compatible with high volume, lead-free SMT soldering processes and can be direct surface mounted to a PCB or a transfer molded module.

Features

- 50 Ω input/output
- No external matching required
- Low insertion loss
- High rejection
 - Enables concurrent operation with other 2.5 GHz bands
- Subminiature size
 - 0.71 mm \times 0.92 mm footprint
 - 0.25 mm maximum height

- High power rating
 - +29 dBm absolute maximum input power
- Environmental
 - RoHS 6 compliant
 - Halogen free
 - TBBPA free

Functional Block Diagram




Applications

Wi-Fi enabled mobile communications devices operating concurrently with other wireless standards.

Ordering Information


Part Number	Number of Devices	Container
ACPF-7624-BLK	100	Tape strip or gel-pack
ACPF-7624-TR1	1000	7-inch (178 mm) reel
ACPF-7624-TR2	5000	7-inch (178 mm) reel
ACPF-7624-TR3	10,000	7-inch (178 mm) reel

Package Dimensions



- Standard tolerance as below unless otherwise specified
 - X.XX ±0.05
 - .XXX ±0.03
- 4. Contact areas are gold plated

Marking Specification



Notes:

- 1. " 🖍 " = Avago Technologies, Inc.
- 2. P/N Symbol = ACPF-7624
- 3. Date Code and Lot Code Symbols shown for reference only - actual symbols will vary over time

Pin Description

Pin	Connection
1, 3, 5	GND
2	TX/RX, Port 2
4	ANT, Port 1

For product information and a complete list of distributors, please go to our web site: www.avagotech.com

Avago, Avago Technologies, and the A logo are trademarks of Avago Technologies in the United States and other countries. All other brand and product names may be trademarks of their respective companies.

Data subject to change. Copyright © 2015 Avago Technologies. All Rights Reserved.

AV02-4906EN - 2015-05-01



