


HT23-601

NEMA 23 High Torque Step Motor

1pc. - 74.00
50pc. - 55.50



Product Features

- *2-phase hybrid step motor*
- *High torque design*
- *Standard NEMA 23 dimensions*
- *Series or parallel wiring*
- *Optimized for microstepping*



Description

Product Description:

The HT23-601 two-phase stepper motor is suitable for a wide range of motion control applications. Terminated with 8 motor leads, the motor can be connected in a few different ways, including bipolar series and bipolar parallel.









The single and double-shaft versions of this motor are UL Recognized in the US and Canada, file no. E472271. The encoder is not included in the listing.

Specifications

Part Number:	HT23-601
Frame Size:	NEMA 23
Motor Type:	High torque
Part Number w/Double Shaft:	HT23-601D
Part Number w/Encoder:	HT23-601D-ZAA
Motor Length:	2.99 inches
Number of Lead Wires:	8
Lead Wire Configuration:	flying leads, no connector
Lead Wire/Cable Length:	18 inches inches
Lead Wire Gauge:	22 AWG
Unipolar Holding Torque:	191 oz-in
Bipolar Holding Torque:	269 oz-in
Step Angle:	1.8 deg
Bipolar Series Current:	2.12 A/phase
Bipolar Series Resistance:	2.0 Ohms/phase
Bipolar Series Inductance:	6.8 mH/phase
Bipolar Parallel Current:	4.24 A/phase
Bipolar Parallel Resistance:	0.5 Ohms/phase
Bipolar Parallel Inductance:	1.7 mH/phase
Unipolar Current:	3.00 A/phase
Unipolar Resistance:	1.0 Ohms/phase
Unipolar Inductance:	1.7 mH/phase
Rotor Inertia:	6.51E-03 oz-in-sec ²
Integral Gearhead:	No
Weight:	2.2 lbs
Storage Temperature:	-30 to 70 °C

Operating Temperature:	-20 to 50 °C
Insulation Class:	Class B (130 °C)
Shaft Run Out:	0.002 inch T.I.R. max
Radial Play:	0.001 inch max w/ 1.1 lb load
End Play:	0.003 inch max w/ 1.1 lb load
Perpendicularity:	0.004 inches
Concentricity:	0.002 inches

Downloads

Family Datasheet:	 StepMotorWiring-8-lead-striped.pdf
Datasheet:	http://s3.amazonaws.com/applied-motion-pdf/HT23-601.pdf
2D Drawing:	 HT23-601_RevG.pdf  HT23-601D-ZAA_RevA.pdf
3D Drawing:	 23HT76D.igs  HT23_76mm_w_ZAA_encoder.igs
Speed-Torque Curves:	 ST_speed-torque.pdf  STR_speed-torque.pdf  STR2_speed-torque.pdf

Pricing

	HT23-601 Part No. w/ Single Shaft	HT23-601D Part No. w/ Double Shaft	HT23-601D-ZAA Part No. w/ Encoder
1pc.	\$74.00	\$74.00	\$200.00
25pc.	\$63.64	\$63.64	\$172.00
50pc.	\$55.50	\$55.50	\$150.00
100pc.	Request a Quote for 100+ piece pricing.		