

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.






NOTES:

LISTED

508D

- 1. UL LISTED.
- 2. FOR COPPER WIRE ONLY.
- 3. MADE IN THE USA.
- 4. SADDLE/PLATE PROVIDES UNIFORM CLAMPING FORCE WITHOUT DISTORTING THE CABLE SHAPE (PART NUMBERS WITH ASTERISK ONLY).
- 5. MATERIAL: HIGH STRENGTH COPPER ALLOY
- (B)6. ** THE HC4-3 IS ASSEMBLED WITH TWO HEXAGON PRESSURE SCREWS. ALL OTHER PARTS ARE ASSEMBLED WITH TWO ALLEN HEAD SOCKET PRESSURE SCREWS.



			APPR(B			
CATALOG NUMBER	CONDUCTOR RANGE	WIRE DIAMETER RANGE	A	В	L	HEX KEY SIZE	TORQUE VALUE IN-LBS
**HC4-3 A	8 SOL4 STR.	.128234	.50	A 1.11	1.25	B7/16	35
HC8-3	4 SOL1 STR.	.204328	.69	.81	1.75	7/16	100
*HC13-3	I STR2/0 STR.	.328418	.81	.94	2.00	9/16	250
*HC21-1	2/0 STR4/0 STR.	.418528	1.00	1.19	2.25	9/16	250
*HC30-1	4/0 STR300 MCM	.528630	1.19	1.44	2.56	5/8	350
*HC50 - 1	300 MCM-500 MCM	.630814	1.38	1.63	3.00	3/4	480

05	03/08	JESH	JAC	REMOVED NOTE 3, AND UPDATED NOTE 6, THE HC4-3 IS ASSEMBLED WITH TWO HEXAGON PRESSURE SCREWS. ALL OTHER PARTS ARE ASSEMBLED WITH TWO ALLEN HEAD SOCKET PRESSURE SCREWS.	В	JAC				
				DIMENSION 7/16 WAS SCREW DRIVE SLOT					C41180_05	
04	02/08	JESH	JAC	DIMENSION 1.11" WAS .56" AND ADD NOTE 7	A	JAC		1 7/MC/UUR5		
03	10/04	JHNU	JAC	REVISED NOTE 5 AND ADDED NOTE 6.					TINLEY PARK, ILLINOIS	
02	4/04	JHNU	JAC	REMOVED P/N'S HC75-1 AND HC100-1.	11691	JAC	LSM	THE WITTER TOWN		
01	10/98	WB	WB	ADDED NOTE 5	07229	LA	RM	TYPE HC CUSTOMER DRAWING		
REV	DATE	BY	CHK	DESCRIPTION	ECN #	APP	РМ	EJD CHK'D WJB SCALE N	/A DRAWING NO. C41180	