

### CLF12577NIT-220M-D









Applications	Automotive Grade	
Feature	AEC-Q200 AEC-Q200  Wire Wound Wire Wound  Shield Magnetic Shield  Ferrite Core Ferrite Core	
Series	CLF-NI-D	
Status	Production	



Size		
Length(L)	12.80mm ±0.30mm	
Width(W)	12.50mm ±0.30mm	
Thickness(T)	7.70mm ±0.30mm	
Recommended Land Pattern (A)	4.50mm Nom.	
Recommended Land Pattern (B)	6.20mm Nom.	
Recommended Land Pattern (C)	4.20mm Nom.	

Electrical Characteristics		
Inductance	22μH ±20% at 100kHz	
Rated Current (L Change) [Typ.]	5.8A (30% Down)	
Rated Current (L Change) [Max.]	4.3A (30% Down)	
Rated Current (Temperature Rise) [Typ.]	4.5A (40°C Rise)	
Rated Current (Temperature Rise) [Max.]		
DC Resistance [Typ.]	27mΩ	
DC Resistance [Max.]	32.4mΩ	
Self Resonant Frequency [Min.]		
Self Resonant Frequency [Typ.]		
Q [Min.]		
Q [Typ.]		

	Other
Operating Temp. Range (Including Self-Temp. Rise)	-55 to 150°C
Coldering Method	Reflow
Soldering Method	Iron Soldering
AEC-Q200	Yes
Packing	Blister (Plastic)Taping [330mm Reel]
Package Quantity	500pcs
Weight	4g

<sup>!</sup> Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.

#### CLF12577NIT-220M-D














## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)











<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.



### CLF12577NIT-220M-D











# **Associated Images**





<sup>!</sup> Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.